



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Original ATE Brake Fluid DOT 3 (blue)

Article number: 03.9901-03xx.x / 7003xx

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture hydraulic liquid

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

AUMOVIO Aftermarket GmbH

Guerickestr. 7

60488 Frankfurt a. M.

Germany

Tel: +49-69-76031

Further information obtainable from:

Hazardous Substances Management Aftermarket, Central Materials Laboratory

ate.sicherheit@aumovio.com

1.4 Emergency telephone number:

INFOTRAC

+1-352-323-3500 (International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product / the compound is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH210 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

EU



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 1)

Dangerous components:		
EC number: 907-996-4 Reg.nr.: 01-2119531322-53-XXXX 01-2119475115-41-XXXX	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30% Eye Irrit. 2; H319: 20 % ≤ C < 30 %	≥15-<20%
CAS: 143-22-6 EINECS: 205-592-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30% Eye Irrit. 2; H319: 20 % ≤ C < 30 %	≥10-<15%
CAS: 111-46-6 EINECS: 203-872-2 Reg.nr.: 01-2119457857-21-XXXX	2,2'-oxybisethanol Acute Tox. 4, H302	≥5-<10%
CAS: 1559-34-8 EINECS: 216-322-1	3,6,9,12-Tetraoxahexadecan-1-ol Eye Irrit. 2, H319	≥2.5-<5%
CAS: 111-77-3 EINECS: 203-906-6 Reg.nr.: 01-2119475100-52-XXXX	2-(2-methoxyethoxy)ethanol Repr. 1B, H360D Specific concentration limit: Repr. 1B; H360D: C ≥ 3 %	≥2.5-<3%

SVHC Contains no or < 0.1% SVHC according to Regulation (EC) No. 1907/2006 (REACH), Article 57.

Additional information:

For the wording of the listed hazard phrases refer to section 16.

CAS 143-22-6 and 1559-34-8 are part of the Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol, for which the SCL applies.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Remove contaminated clothes and shoes immediately.

Get medical advice/attention if you feel unwell.

After inhalation:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Seek medical treatment.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 2)

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

May be released in case of fire: CO, CO₂, NO_x

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about fire - and explosion protection: Temperature class: T3

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Storage at room temperature.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from foodstuffs.

Further information about storage conditions:

Store in dry conditions.

This product is hygroscopic.

Keep container tightly sealed.

Storage class according to TRGS 510: 10 combustible liquids.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol

AGW (Germany)	Long-term value: 50 E mg/m ³ 2 (II);Y, 11, DFG
---------------	--

(Contd. on page 4)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 3)

112-27-6 2,2'-(ethylenedioxy)diethanol	
AGW (Germany)	Long-term value: 1000 E mg/m ³ 2(II);DFG, Y, 11
111-46-6 2,2'-oxybisethanol	
AGW (Germany)	Long-term value: 44 mg/m ³ , 10 ppm 4(II);DFG, Y, 11
WEL (Great Britain)	Long-term value: 101 mg/m ³ , 23 ppm
111-77-3 2-(2-methoxyethoxy)ethanol	
IOELV (EU)	Long-term value: 50.1 mg/m ³ , 10 ppm Skin
AGW (Germany)	Long-term value: 50 mg/m ³ , 10 ppm EU, Y, H, 11
WEL (Great Britain)	Long-term value: 50.1 mg/m ³ , 10 ppm Sk

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Butyl caoutchouc (butyl rubber): minimum breakthrough time 480 min; minimum layer thickness: 0.7 mm

NBR (nitrile rubber): minimum breakthrough time 30 min; minimum layer thickness: 0.4 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses

Environmental exposure controls See section 6 and 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Blue

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

<-70 °C (DIN 51583)

Boiling point or initial boiling point and boiling range

>245 °C (FMVSS 116)

(Contd. on page 5)

EU



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 4)

Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.5 Vol %
Upper:	Not determined.
Flash point:	≥130 °C ((ASTM D 7094-closed cup)
Auto-ignition temperature:	230 °C (DIN 51794)
Decomposition temperature:	>360 °C (DSC)
pH at 20 °C	7.5-10 (FMVSS 116)
Viscosity:	
Kinematic viscosity at 20 °C	14.5-17 mm ² /s (FMVSS 116)
Dynamic:	Not determined.
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	<10 hPa
Density and/or relative density	
Density at 20 °C:	1.04-1.07 g/cm ³ (DIN 51757)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

EU

(Contd. on page 6)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 5)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>3,000 mg/kg (rabbit)

111-46-6 2,2'-oxybisethanol

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

111-77-3 2-(2-methoxyethoxy)ethanol

Oral	LD50	>4,000 mg/kg (Guinea Pig) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

LC50	>100 mg/L (fish) (DIN38412)
------	-----------------------------

(Contd. on page 7)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 6)

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

EC50	>100 mg/l (algae)
LC50	>100 mg/L (daphnia)
	>100 mg/L (fish) (DIN 38412 96 h)

111-46-6 2,2'-oxybisethanol

EC50	>100 mg/l (algae)
	>100 mg/l (daphnia) (DIN 38412 T.11)
LC50	>100 mg/L (fish) (96 h)

111-77-3 2-(2-methoxyethoxy)ethanol

EC50 (static)	>100 mg/l (algae) (OECD 201 96 h)
	>100 mg/l (daphnia) (EPA 48 h)
LC50 (static)	>100 mg/L (fish) (EPA 96 h)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects
Additional ecological information:
General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

Recommendation Must be specially treated adhering to official regulations.

Uncleaned packaging:
Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number
ADR, IMDG, IATA

Void

14.2 UN proper shipping name
ADR, IMDG, IATA

Void

(Contd. on page 8)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 7)

14.3 Transport hazard class(es)ADR, ADN, IMDG, IATA
Class

Void

14.4 Packing group
ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients are listed.

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients are listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 54, 75**Regulation (EU) No 649/2012**

None of the ingredients are listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients are listed.

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients are listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients are listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients are listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients are listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients are listed.

National regulations:**Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 9)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2025

Version number 7.0 (replaces version 6.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid DOT 3 (blue)

(Contd. of page 8)

Other regulations, limitations and prohibitive regulations
Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the sole responsibility of the importer or distributor to identify and comply with all legal requirements necessary for the lawful placing of chemical products on the market in the respective target countries.

Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H360D May damage the unborn child.

Recommended restriction of use For industrial or professional purposes only.

Department issuing SDS:

 Hazardous Substances Management Aftermarket
 ate.sicherheit@aumovio.com

Date of previous version: 31.07.2023

Version number of previous version: 6.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

*** Data compared to the previous version altered.**