

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name:** Original ATE Brake Fluid SL.6 (DOT 4)

**Article number:** 03.9901-64xx.x / 7064xx

**UFI:** CC00-60HR-700E-GSR6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** hydraulic liquid

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

AUMOVIO Aftermarket GmbH

Guerickestr. 7

60488 Frankfurt a. M.

Germany

Tel: +49-69-76031

#### Further information obtainable from:

Hazardous Substances Management Aftermarket, Central Materials Laboratory

ate.sicherheit@aumovio.com

### 1.4 Emergency telephone number:

INFOTRAC

+1-352-323-3500 (International)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified according to the CLP regulation.

#### Hazard pictograms



GHS08

**Signal word** Warning

#### Hazard-determining components of labelling:

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

#### Hazard statements

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

**Trade name: Original ATE Brake Fluid SL.6 (DOT 4)**

(Contd. of page 1)

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 30989-05-0 EINECS: 250-418-4 Reg.nr.: 01-2119462824-33-XXXX	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate Repr. 2, H361fd	≥30-<50%
EC number: 907-996-4 Reg.nr.: 01-2119531322-53-XXXX 01-2119475115-41-XXXX	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30% Eye Irrit. 2; H319: 20 % ≤ C < 30 %	≥3-<5%
CAS: 110-97-4 EINECS: 203-820-9 Reg.nr.: 01-21194754444-34-XXXX	1,1'-Iminodipropan-2-ol Eye Irrit. 2, H319	≥1-<2.5%
CAS: 143-22-6 EINECS: 205-592-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30% Eye Irrit. 2; H319: 20 % ≤ C < 30 %	≥1-<2.5%

**SVHC** Contains no or < 0.1% SVHC according to Regulation (EC) No. 1907/2006 (REACH), Article 57.

#### Additional information:

The content of CAS No 143-22-6 is a component of Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy) ethanol and 3,6,9,12-tetraoxahexadecan-1-ol.

For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Take affected persons out of danger area.

Do not leave affected persons unattended.

Remove contaminated clothes and shoes immediately.

#### After inhalation:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Seek medical treatment.

#### After skin contact:

If skin irritation occurs: Get medical advice/attention.

Immediately wash with water and soap and rinse thoroughly.

#### After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 3)



# Safety Data Sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

**Trade name: Original ATE Brake Fluid SL.6 (DOT 4)**

(Contd. of page 2)

If eye irritation persists: Get medical advice/attention.

Protect unharmed eye.

**After swallowing:**

Do NOT induce vomiting.

Rinse mouth thoroughly with water.

Call a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Boron oxides

Carbon monoxide (CO)

Nitrogen oxides (NO<sub>x</sub>)

During heating or in case of fire poisonous gases are produced.

**5.3 Advice for firefighters**

**Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

**6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)



# Safety Data Sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

**Trade name: Original ATE Brake Fluid SL.6 (DOT 4)**

(Contd. of page 3)

**Information about fire - and explosion protection:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Temperature class: T3

**7.2 Conditions for safe storage, including any incompatibilities**
**Storage:**

**Requirements to be met by storerooms and receptacles:** Storage at room temperature.

**Information about storage in one common storage facility:**

Store away from flammable substances.

Store away from foodstuffs.

**Further information about storage conditions:**

This product is hygroscopic.

Store in dry conditions.

Keep container tightly sealed.

**Storage class according to TRGS 510:** 10 combustible liquids.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**8.1 Control parameters**
**Ingredients with limit values that require monitoring at the workplace:**

**143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol**

MAK (Germany) | als Dampf und Aerosol;vgl.Abschn.IIb und Xc

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**
**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Use skin protection cream for skin protection.

**Respiratory protection:**

In the case of vapour formation use a respirator with an approved filter.

Equipment should conform to EN 14387.

If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short period of time.

filter ABEK-P2

**Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material**

Butyl caoutchouc (butyl rubber): minimum breakthrough time 480 min; minimum layer thickness: 0.7 mm

NBR (nitrile rubber): minimum breakthrough time 30 min; minimum layer thickness: 0.4 mm

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Safety glasses

**Body protection:** Protective work clothing

(Contd. on page 5)



# Safety Data Sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

**Trade name: Original ATE Brake Fluid SL.6 (DOT 4)**

(Contd. of page 4)

**Environmental exposure controls** See section 6 and 7. No additional measures necessary.

**Risk management measures**

Ensure that activities are executed by specialists or authorised personnel only.

Use at industrial site in closed process with occasional controlled exposure or processes with equivalent containment conditions:

3 to 5 air changes per hour (90 % effectiveness) - basic standard of general ventilation

maximum 8 h exposure duration per day

maximum 40 °C process temperature

Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

5 to 10 air changes per hour (90 % effectiveness) - good standard of controlled ventilation

maximum 1 h exposure duration per day

maximum 40 °C process temperature

Use of functional fluids in small devices:

5 to 10 air changes per hour (80 % effectiveness) - good standard of controlled ventilation

maximum 8 h exposure duration per day

maximum 40 °C process temperature

Supervision in place to check that the risk management measures installed are being used correctly and operation conditions followed.

Ensure control measures are regularly inspected and maintained.

Use by private consumers.

Frequency of exposure: ≤ 2 days per year

Outdoor use

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

**Physical state**

Liquid

**Colour:**

Yellow

**Odour:**

Characteristic

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

<-70 °C (ASTM D 1177)

**Boiling point or initial boiling point and boiling range**

265 °C (ASTM D 1120)

**Flammability**

Not applicable.

**Lower and upper explosion limit**

**Lower:**

Not determined.

**Upper:**

Not determined.

**Flash point:**

136 °C (DIN EN 22719 / ISO 2719)

**Auto-ignition temperature:**

>300 °C (DIN 51794)

**Decomposition temperature:**

360 °C

**pH at 20 °C**

8 (50 %) (ASTM D 1287)

**Viscosity:**

**Kinematic viscosity at 20 °C**

12.3 mm<sup>2</sup>/s (DIN 51562)

**Dynamic:**

Not determined.

**water:**

Fully miscible.

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure at 20 °C:**

0.27 Pa (Syracuse)

**Density and/or relative density**

**Density at 20 °C:**

1.06 g/cm<sup>3</sup> (DIN 51757)

**Relative density**

Not determined.

**Vapour density**

Not determined.

(Contd. on page 6)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL.6 (DOT 4)

(Contd. of page 5)

<b>9.2 Other information</b>	No further relevant information available.
<b>Appearance:</b>	
<b>Form:</b>	Fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not determined.

<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources.

**10.5 Incompatible materials:** No further relevant information available.

### 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO<sub>x</sub>)

Boron oxides

Hydrocarbons

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL.6 (DOT 4)

(Contd. of page 6)

**LD/LC50 values relevant for classification:****30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate**

Oral LD50 &gt;2,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;2,000 mg/kg (rat) (OECD 402)

**Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol**

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;3,000 mg/kg (rabbit)

**110-97-4 1,1'-Iminodipropan-2-ol**

Oral LD50 &gt;2,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;5,000 mg/kg (rabbit)

**143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol**

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;2,000 mg/kg (rabbit)

**Primary irritant effect:****Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Suspected of damaging fertility. Suspected of damaging the unborn child.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients are listed.

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate**

EC50 &gt;100 mg/l (algae) (72 h)

&gt;100 mg/l (daphnia) (48 h)

LC50 &gt;100 mg/L (fish) (96 h)

**Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol**

EC50 &gt;100 mg/l (algae)

LC50 &gt;100 mg/L (daphnia)

&gt;100 mg/L (fish) (DIN 38412 96 h)

**110-97-4 1,1'-Iminodipropan-2-ol**

EC50 (static) &gt;100 mg/l (algae) (72 h)

&gt;100 mg/l (daphnia) (92/69/EWG 48 h)

LC50 (static) &gt;100 mg/L (fish) (OECD 203 96 h)

**143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol**

EC50 &gt;100 mg/l (algae)

(Contd. on page 8)



# Safety Data Sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

**Trade name: Original ATE Brake Fluid SL.6 (DOT 4)**

(Contd. of page 7)

LC50	>100 mg/L (daphnia)
	>100 mg/L (fish)

**12.2 Persistence and degradability** No further relevant information available.

**Other information:** The product is easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment** Not applicable.

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Additional ecological information:**

**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

**Recommendation**

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

**European waste catalogue**

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01 00	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 13*	brake fluids

**Uncleaned packaging:**

**Recommendation:**

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

**14.1 UN number or ID number**

**ADR, ADN, IMDG, IATA** Void

**14.2 UN proper shipping name**

**ADR, ADN, IMDG, IATA** Void

**14.3 Transport hazard class(es)**

**ADR, ADN, IMDG, IATA**

**Class** Void

**14.4 Packing group**

**ADR, IMDG, IATA** Void

(Contd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL.6 (DOT 4)

(Contd. of page 8)

**14.5 Environmental hazards:****Marine pollutant:** No**14.6 Special precautions for user** Not applicable.**14.7 Maritime transport in bulk according to IMO instruments** Not applicable.**UN "Model Regulation":** Void

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients are listed.

**LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients are listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 75**Regulation (EU) No 649/2012**

None of the ingredients are listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients are listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients are listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients are listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients are listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients are listed.

**REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients are listed.

**National regulations:****Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

(Contd. on page 10)



# Safety Data Sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2025

Version number 6.0 (replaces version 5.0)

Revision: 01.11.2025

**Trade name: Original ATE Brake Fluid SL.6 (DOT 4)**

(Contd. of page 9)

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

It is the sole responsibility of the importer or distributor to identify and comply with all legal requirements necessary for the lawful placing of chemical products on the market in the respective target countries.

#### Relevant phrases

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

**Recommended restriction of use** For industrial or professional purposes only.

#### Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### Department issuing SDS:

Hazardous Substances Management Aftermarket

ate.sicherheit@aumovio.com

**Date of previous version:** 01.04.2023

**Version number of previous version:** 5.0

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ADG: Australien Code for the Transport of Dangerous Goods by Road an Rail

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

**\* Data compared to the previous version altered.**