



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Original ATE Brake Fluid SL (DOT 4)

Article number: 03.9901-58xx.x / 7058xx

UFI: 5D10-80TG-W00C-EVQY

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture hydraulic liquid

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

AUMOVIO Aftermarket GmbH

Guerickestr. 7

60488 Frankfurt a. M.

Germany

Tel: +49-69-76031

Further information obtainable from:

Hazardous Substances Management Aftermarket, Central Materials Laboratory

ate.sicherheit@aumovio.com

1.4 Emergency telephone number:

INFOTRAC

+1-352-323-3500 (International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified according to the CLP regulation.

Hazard pictograms



GHS08

Signal word Warning

Hazard-determining components of labelling:

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

Hazard statements

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 1)

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 30989-05-0 EINECS: 250-418-4 Reg.nr.: 01-2119462824-33-XXXX	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate Repr. 2, H361fd	≥30-<50%
EC number: 907-996-4 Reg.nr.: 01-2119531322-53-XXXX 01-2119475115-41-XXXX	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30% Eye Irrit. 2; H319: 20 % ≤ C < 30 %	≥10-<15%
CAS: 112-35-6 EINECS: 203-962-1 Reg.nr.: 01-2119475101-50	2-(2-(2-methoxyethoxy)ethoxy)ethanol substance with a Community workplace exposure limit	10-25%
CAS: 143-22-6 EINECS: 205-592-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30% Eye Irrit. 2; H319: 20 % ≤ C < 30 %	≥5-<10%
CAS: 111-46-6 EINECS: 203-872-2 Reg.nr.: 01-2119457857-21-XXXX	2,2'-oxybisethanol Acute Tox. 4, H302	≥5-<10%
CAS: 1559-34-8 EINECS: 216-322-1	3,6,9,12-Tetraoxahexadecan-1-ol Eye Irrit. 2, H319	≥2-<5%
CAS: 112-27-6 EINECS: 203-953-2 Reg.nr.: 01-2119438366-35-xxxx	2,2'-(ethylenedioxy)diethanol substance with a Community workplace exposure limit	2.5-10%
CAS: 110-97-4 EINECS: 203-820-9 Reg.nr.: 01-21194754444-34-XXXX	1,1'-Iminodipropan-2-ol Eye Irrit. 2, H319	≥1-<2%

SVHC Contains no or < 0.1% SVHC according to Regulation (EC) No. 1907/2006 (REACH), Article 57.**Additional information:**

CAS 143-22-6 and 1559-34-8 are part of the Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol, for which the SCL applies.

For the wording of the listed hazard phrases refer to section 16.

EU

(Contd. on page 3)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out of danger area.
Do not leave affected persons unattended.
Take off immediately all contaminated clothing.

After inhalation:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Seek medical treatment.

After skin contact:

If skin irritation occurs: Get medical advice/attention.
Immediately wash with water and soap and rinse thoroughly.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Protect unharmed eye.

After swallowing:

Do NOT induce vomiting.
Rinse mouth thoroughly with water.
Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Boron oxides

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 3)

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.**Information about fire - and explosion protection:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Temperature class: T3

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:** Storage at room temperature.**Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from flammable substances.

Further information about storage conditions:

This product is hygroscopic.

Store in dry conditions.

Keep container tightly sealed.

Storage class according to TRGS 510: 10 combustible liquids.**7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters**Ingredients with limit values that require monitoring at the workplace:****112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol**

AGW (Germany)	Long-term value: 50 E mg/m ³ 2 (II);Y, 11, DFG
---------------	--

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc
---------------	---

111-46-6 2,2'-oxybisethanol

AGW (Germany)	Long-term value: 44 mg/m ³ , 10 ppm 4(II);DFG, Y, 11
WEL (Great Britain)	Long-term value: 101 mg/m ³ , 23 ppm

112-27-6 2,2'-(ethylenedioxy)diethanol

AGW (Germany)	Long-term value: 1000 E mg/m ³ 2(II);DFG, Y, 11
---------------	---

(Contd. on page 5)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 4)

DNELs**112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol**

Oral	DNEL Public long-term systemic	10 mg/kg bw/d
Dermal	DNEL Worker long-term systemic	167 mg/kg bw/d
	DNEL Public long-term systemic	100 mg/kg bw/d

112-27-6 2,2'-(ethylenedioxy)diethanol

Dermal	DNEL Worker long-term systemic	40 mg/kg bw/d
	DNEL Public long-term systemic	20 mg/kg bw/d
Inhalative	DNEL Worker acute/short-term local effects	50 mg/m ³
	DNEL Public acute/short-term local effects	25 mg/m ³

PNECs**112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol**

Oral	PNEC oral food	89 mg/kg
	PNEC aqua (fresh water)	10 mg/L
	PNEC aqua (marine water)	1 mg/L
	PNEC aqua (intermittent releases)	50 mg/L
	STP	200 mg/L
	PNEC sediment (fresh water)	36.6 mg/kg sedim dw
	PNEC sediment (marine water)	3.66 mg/kg sedim dw
	PNEC soil	1.56 mg/kg soil dw

112-27-6 2,2'-(ethylenedioxy)diethanol

	PNEC aqua (fresh water)	10 mg/L
	PNEC aqua (marine water)	1 mg/L
	PNEC aqua (intermittent releases)	10 mg/L
	STP	10 mg/L
	PNEC sediment (fresh water)	46 mg/kg sedim dw
	PNEC soil	3.32 mg/kg soil dw

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Use skin protection cream for skin protection.

Respiratory protection:

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

filter ABEK-P2

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 5)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Butyl caoutchouc (butyl rubber): minimum breakthrough time 480 min; minimum layer thickness: 0.7 mm

NBR (nitrile rubber): minimum breakthrough time 30 min; minimum layer thickness: 0.4 mm

Eye/face protection Safety glasses

Body protection: Protective work clothing

Environmental exposure controls See section 6 and 7. No additional measures necessary.

Risk management measures

Ensure that activities are executed by specialists or authorised personnel only.

Use at industrial site in closed process with occasional controlled exposure or processes with equivalent containment conditions:

3 to 5 air changes per hour (90 % effectiveness) - basic standard of general ventilation

maximum 8 h exposure duration per day

maximum 40 °C process temperature

Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

5 to 10 air changes per hour (90 % effectiveness) - good standard of controlled ventilation

maximum 1 h exposure duration per day

maximum 40 °C process temperature

Use of functional fluids in small devices:

5 to 10 air changes per hour (80 % effectiveness) - good standard of controlled ventilation

maximum 8 h exposure duration per day

maximum 40 °C process temperature

Supervision in place to check that the risk management measures installed are being used correctly and operation conditions followed.

Ensure control measures are regularly inspected and maintained.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Yellow

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

<-70 °C (DIN 51583)

Boiling point or initial boiling point and boiling range

>260 °C (FMVSS 116)

Flammability

Not applicable.

Lower and upper explosion limit

Lower:

1.5 Vol %

Upper:

Not determined.

Flash point:

139 °C (ASTM D 7094 (closed cup))

Auto-ignition temperature:

>200 °C (DIN 51794)

Decomposition temperature:

ca. 360 °C (DSC)

pH at 20 °C

8.5 (50%) (FMVSS 116)

Viscosity:

Kinematic viscosity at 20 °C

15-17 mm²/s (FMVSS 116)

(Contd. on page 7)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 6)

Dynamic:	Not determined.
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	<1 hPa
Density and/or relative density	
Density at 20 °C:	1.06 g/cm ³ (DIN 51757)
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information	No further relevant information available.
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.

Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

Boron oxides

(Contd. on page 8)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

Hydrocarbons

(Contd. of page 7)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

Oral LD50 >2,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rabbit)

112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol

Oral LD50 11,300 mg/kg (rat)

Dermal LD50 7,100 mg/kg (rabbit)

Inhalative LC 50 (vapour) >20 mg/l (rat) (OECD 403 4h)

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

111-46-6 2,2'-oxybisethanol

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

1559-34-8 3,6,9,12-Tetraoxahexadecan-1-ol

Oral LD50 >2,000 mg/kg (rat) (OECD 401)

112-27-6 2,2'-(ethylenedioxy)diethanol

Oral LD50 >5,000 mg/kg (rat)

110-97-4 1,1'-Iminodipropan-2-ol

Oral LD50 >2,000 mg/kg (rat) (OECD 401)

Dermal LD50 >5,000 mg/kg (rabbit)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients are listed.

EU

(Contd. on page 9)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 8)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

EC50	6.25 mg/l (bacteria) 250-350 mg/l (fish) (DIN 38412 96 h)
------	--

30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

EC50	>100 mg/l (algae) (72 h) >100 mg/l (daphnia) (48 h)
LC50	>100 mg/L (fish) (96 h)

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

EC50	>100 mg/l (algae)
LC50	>100 mg/L (daphnia) >100 mg/L (fish) (DIN 38412 96 h)

112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol

EC50	>100 mg/l (algae) (72 h) >100 mg/l (daphnia) (48 h)
LC50	>100 mg/L (fish) (96 h)

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

EC50	>100 mg/l (algae)
LC50	>100 mg/L (daphnia) >100 mg/L (fish)

111-46-6 2,2'-oxybisethanol

EC50	>100 mg/l (algae) >100 mg/l (daphnia) (DIN 38412 T.11)
LC50	>100 mg/L (fish) (96 h)

1559-34-8 3,6,9,12-Tetraoxahexadecan-1-ol

EC50	>100 mg/l (algae) (OECD 201 72 h) >100 mg/l (daphnia) (OECD 202 48 h)
------	--

110-97-4 1,1'-Iminodipropan-2-ol

EC50 (static)	>100 mg/l (algae) (72 h) >100 mg/l (daphnia) (92/69/EWG 48 h)
LC50 (static)	>100 mg/L (fish) (OECD 203 96 h)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 10)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

Do not allow product to reach ground water, water course or sewage system.

(Contd. of page 9)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

European waste catalogue

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01 00	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 13*	brake fluids

Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients are listed.

(Contd. on page 11)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 10)

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients are listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3,75

Regulation (EU) No 649/2012

None of the ingredients are listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients are listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients are listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients are listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients are listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients are listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients are listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the sole responsibility of the importer or distributor to identify and comply with all legal requirements necessary for the lawful placing of chemical products on the market in the respective target countries.

Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Recommended restriction of use For industrial or professional purposes only.

Department issuing SDS:

Hazardous Substances Management Aftermarket
ate.sicherheit@aumovio.com

Date of previous version: 01.04.2023

Version number of previous version: 11.0

(Contd. on page 12)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 21.11.2025

Version number 12.0 (replaces version 11.0)

Revision: 01.11.2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 11)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

*** Data compared to the previous version altered.**

EU