Print date: 29.07.2025



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MEYLE ATF CVT

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

ATF

## 1.3. Details of the supplier of the safety data sheet

Company name: Meyle AG
Street: Merkurring 111
Place: D-22143 Hamburg

Telephone: +49 40 67 506 510 Telefax: +49 40 67 506 506

E-mail: contact@meyle.com

Contact person: Kai Andresen

E-mail: Kai.Andresen@meyle.com

Internet: www.meyle.com

1.4. Emergency telephone Giftnotruf Göttingen

number: +49 551 19 24 0 (24h)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

## Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

#### 2.3. Other hazards

Special danger of slipping by leaking/spilling product.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 2 of 13

#### Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)				
64742-54-7	Distillates (petroleum), hydrotreat	ed heavy paraffinic; Baseoil - unspec	sified (Note L)	60 - < 100 %		
	265-157-1	649-467-00-8	01-2119484627-25			
	Asp. Tox. 1; H304					
64742-55-8	Distillates (petroleum), hydrotreat	ed (Note L)	2.5 - < 5 %			
	265-158-7	649-468-00-3	01-2119487077-29			
	Asp. Tox. 1; H304					
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)					
	276-737-9	649-482-00-X	01-2119474878-16			
	Asp. Tox. 1; H304					
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified (Note L)					
	265-169-7	649-474-00-6	01-2119471299-27			
	Asp. Tox. 1; H304					

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified (Note L)	60 - < 100 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)	2.5 - < 5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)	2.5 - < 5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified (Note L)	1 - < 2.5 %
	dermal: LD5	0 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	

#### **Further Information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

When in doubt or if symptoms are observed, get medical advice.

# After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

# After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

Print date: 29.07.2025



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 3 of 13

#### After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet. Foam. Carbon dioxide (CO2).

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Combustible. Non-flammable.

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO2), Pyrolysis products, toxic.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove persons to safety.

## For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

## 6.3. Methods and material for containment and cleaning up

# For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Stop leak if safe to do so.

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 4 of 13

#### Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes and skin. Use personal protection equipment.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### Further information on handling

maximum process temperature: 100 °C

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.

#### Hints on joint storage

Do not store together with: Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

#### Further information on storage conditions

Keep away from heat.

maximum storage temperature: 80 °C

## 7.3. Specific end use(s)

ATF

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	



according to Regulation (EC) No 1907/2006

# **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 5 of 13

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base	oil - unspecified (Note L	.)	
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Consumer DNI	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base	oil - unspecified (Note L	.)	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoi	I - unspecified (Note L)		
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral of	oil-based; Baseoil - unsp	pecified (Note L)	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral of	oil-based; Baseoil - unsp	pecified (Note L)	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; E	Baseoil - unspecified (No	ote L)	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day



according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 6 of 13

#### **PNEC values**

CAS No	Substance					
Environmental compartment Value						
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified (Note L)					
Secondary po	isoning	9,33 mg/kg				
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)						
Secondary poisoning 9,33 mg/kg						
72623-87-1	72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)					
Secondary poisoning 9,33 mg/kg						
72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)						
Secondary poisoning 9,33 mg/kg						
64742-65-0	64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified (Note L)					
Secondary po	Secondary poisoning 9,33 mg/kg					

## 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye protection/face protection. (EN 166)

#### Hand protection

Tested protective gloves must be worn (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## Thermal hazards

No information available.

#### **Environmental exposure controls**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light brown
Odour: characteristic
Odour threshold: not determined

Test method



according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 7 of 13

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: Not readily combustible.

Lower explosion limits: not determined

Upper explosion limits: not determined

Flash point: ~ 227 °C ISO 2592

Auto-ignition temperature: not determined Decomposition temperature: not determined

pH-Value: not applicable DIN 51369
Viscosity / kinematic: ~ 34,3 mm²/s DIN 51562

(at 40 °C)

Water solubility: practically insoluble

(at 20 °C)

Solubility in other solvents

Soluble in hydrocarbons (mineral oil.)

Partition coefficient n-octanol/water: not determined

Vapour pressure: <0,1 hPa calculated.

(at 20 °C)

Density (at 15 °C): ~ 0,847 g/cm³ DIN 51757

Relative vapour density: not determined Particle characteristics: not relevant

9.2. Other information

Other safety characteristics

Pour point: ~ -39 °C

**DIN ISO 3016** 

**Further Information** 

No information available.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

Oxidizing agent, Reducing agent, Strong acid, Strong alkali.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO2), Pyrolysis products, toxic.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 8 of 13

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum), hy	drotreated heavy p	paraffin	ic; Baseoil - unspecified (N	Note L)	
	oral	LD50 > 50 mg/kg	00	Rat	REACh Dossier	OECD 401
	dermal	LD50 > 50 mg/kg	00	Rabbit	REACh Dossier	OECD 402
64742-55-8	Distillates (petroleum), hy	drotreated light pa	raffinic;	; Baseoil - unspecified (No	ote L)	
	oral	LD50 > 50 mg/kg	00	Rat	REACh Dossier	OECD 401
	dermal	LD50 > 50 mg/kg	00	Rabbit	REACh Dossier	OECD 402
72623-86-0	Lubricating oils (petroleur	n), C15-30, hydrot	reated	neutral oil-based; Baseoil	- unspecified (Note L)	
	oral	LD50 > 50 mg/kg	00	Rat	REACh Dossier	OECD 401
	dermal	LD50 > 50 mg/kg	00	Rabbit	REACh Dossier	OECD 402
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified (Note L)					
	oral	LD50 > 50 mg/kg	00	Rat	REACh Dossier	OECD 401
	dermal	LD50 > 50 mg/kg	00	Rabbit	REACh Dossier	OECD 402

## Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.

# Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## 11.2. Information on other hazards

#### **Endocrine disrupting properties**

No information available.

## Other information

No information available.



according to Regulation (EC) No 1907/2006

# **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 9 of 13

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name	nemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
64742-54-7	Distillates (petroleum), hy	drotreated he	eavy paraffir	ic; Base	oil - unspecified (Note L)					
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211			
64742-55-8	Distillates (petroleum), hy	drotreated lig	ght paraffinio	; Baseoi	I - unspecified (Note L)					
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)									
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia magna (Big water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna (Big water flea)	REACh Dossier	OECD 211			
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified (Note L)									
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas (fathead minnow)	REACh Dossier	OECD 203			
	Acute crustacea toxicity	EL50 mg/l	> 10000	48 h	Daphnia pulex (water flea)	REACh Dossier	OECD 202			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss (Rainbow trout)	REACh Dossier	QSAR			
	Algae toxicity	NOEC mg/l	>= 100	3 d	Pseudokirchneriella subcapitata	REACh Dossier	OECD 201			



according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 10 of 13

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name								
	Method	Value	d	Source					
	Evaluation	-	-						
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Ba	aseoil - unspecified (Note	L)						
	OECD 301B	21 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria).								
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified (Note L)								
	OECD 301B	31 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria).								
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified (Note L)								
	OECD 301F	31 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria).								
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified (Note L)								
	OECD 301F	31 %	28	REACh Dossier					
	Not easily bio-degradable (according to OECD-criteria).								

#### 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

## **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

## List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 11 of 13

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

## **Additional information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**Additional information** 

Observe in addition any national regulations!

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

#### **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 12 of 13

#### Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,13,14,15,16.

#### Abbreviations and acronyms

Asp. Tox. 1: Aspiration hazard, hazard category 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways. EUH210 Safety data sheet available on request.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be



according to Regulation (EC) No 1907/2006

# **MEYLE ATF CVT**

Revision: 05.05.2025 Product code: 014\_019\_3000-3-4 Page 13 of 13

expressly excluded.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)