

Date printed 07.11.2019, Revision 07.11.2019

Version 09. Supersedes version: 08 Page 1 / 10

SEC	TION 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1	Product identifier	
		SWAG 20 93 2600 automatic transmission fluid (ATF) Article number: 20 93 2600, 20 93 2605
1.2	Relevant identified uses of the s	substance or mixture and uses advised against
1.2.	I Relevant uses	
		Lubricant
1.2.2	2 Uses advised against	
	C C	None known.
1.3	Details of the supplier of the saf	ety data sheet
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de
	Address enquiries to	
	Technical information	info@swag.de
	Safety Data Sheet	info@swag.de
1.4	Emergency telephone number	
	Advisory body	+49 (0)89-19240 (24h) (English)
	Company	+49 (0)202 26454-0
SEC	TION 2: Hazards identification	
2.1	Classification of the substance	or mixture [REGULATION (EC) No 1272/2008]
		No classification.
2.2	Label elements	
		The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP)
	Hazard pictograms	none
	Signal word	none
	Hazard statements	none
	Precautionary statements	none
	Special labelling	EUH210 Safety data sheet available on request.
2.3	Other hazards	

Physico-chemical hazards	No particular hazards known.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	No particular hazards known.



Date printed 07.11.2019, Revision 07.11.2019

### **SECTION 3: Composition / Information on ingredients**

### Product-type:

### 3.2 The product is a mixture.

Range [%]	[%] Substance	
25 - 50	25 - 50 Distillates (petroleum), hydrotreated light paraffinic	
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX	
	GHS/CLP: Asp. Tox. 1: H304	
1 - < 2,5	3-(decyloxy)tetrahydrothiophene 1,1-dioxide	
	CAS: 18760-44-6, EINECS/ELINCS: 242-556-9	
	GHS/CLP: Aquatic Chronic 2: H411	
1 - < 2,5	Methacrylate copolymer	
	EINECS/ELINCS: Polymer	
	GHS/CLP: Eye Irrit. 2: H319	

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

### **SECTION 4: First aid measures**

4.1	Description of first aid measures General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Do not induce vomiting. Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.
4.2	Most important symptoms and ef	fects, both acute and delayed
		Irritant effects
4.3	Indication of any immediate medi	cal attention and special treatment needed
		Treat symptomatically. Forward this sheet to the doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
	Extinguishing media that must not be used	Full water jet.
5.2	Special hazards arising from the	substance or mixture
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx).
5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

42117 Wuppertal

Date printed 07.11.2019, Revision 07.11.2019



Version 09. Supersedes version: 08 Page 3 / 10

SEC	SECTION 6: Accidental release measures			
6.1	Personal precautions, protective equipment and emergency procedures			
		Some risk of slipping due to spillage of product. Forms slippery surfaces with water. Use personal protective equipment.		
6.2	Environmental precautions			
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.		
6.3	Methods and material for contain	ment and cleaning up		
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.		
6.4	Reference to other sections			
		See SECTION 8+13		
SEC	SECTION 7: Handling and storage			
7.1	Precautions for safe handling			
		No special measures necessary if used correctly. Use only in well-ventilated areas. Use solvent-resistant equipment.		
		The product is combustible.		
		Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.		
7.2	Conditions for safe storage, inclu	uding any incompatibilities		
		Keep only in original container. Prevent penetration into the ground.		
		Do not store together with oxidizing agents.		
		Keep container in a well-ventilated place. Keep container tightly closed.		
7.3	Specific end use(s)			
		See product use, SECTION 1.2		

bfe00078



# 42117 Wuppertal

Date printed 07.11.2019, Revision 07.11.2019

# SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

# Ingredients with occupational exposure limits to be monitored (GB)

Substance
Distillates (petroleum), hydrotreated light paraffinic
CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
Long-term exposure: 5 mg/m <sup>3</sup> , ACGIH TLV (OIL MIST)

#### DNEL

8.2

	Substance	
	Distillates (petroleur	m), hydrotreated light paraffinic, CAS: 64742-55-8
	Industrial, dermal, L	.ong-term - systemic effects: 1 mg/kg bw/day.
	Industrial, inhalative	e, Long-term - local effects: 5,6 mg/m³.
	Industrial, inhalative	e, Long-term - systemic effects: 2,7 mg/m <sup>3</sup> .
	general population,	oral, Long-term - systemic effects: 0,74 mg/kg bw/day.
PNEC		
	Substance	
	Distillates (petroleur	m), hydrotreated light paraffinic, CAS: 64742-55-8
	oral (food), 9,33 mg	/kg food.
_		-
Exposure contr	ols	
Additional advice	on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection		Safety glasses. (EN 166:2001)
Hand protection		The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).
Skin protection		Light protective clothing.
Other		Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory prote	ction	not applicable
Thermal hazards		No information available.
Delimitation and environmental ex	•	Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 07.11.2019, Revision 07.11.2019

Version 09. Supersedes version: 08 Page 5 / 10

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Form	liquid
Color	red
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	205 (EN ISO 2592)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0,86 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	30,6 mm²/s 40°C (DIN 51562)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

#### 10.4 Conditions to avoid

No special measures necessary.

#### 10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds strong acids

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 07.11.2019, Revision 07.11.2019

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### Acute toxicity

Product	
oral, Based on the available information, the classification criteria are not fulfilled.:	
inhalative, Based on the available information, the classification criteria are not fulfilled.:	
dermal, Based on the available information, the classification criteria are not fulfilled.:	

Substance	
3-(decyloxy)tetrahydrothiophene 1,1-dioxide, CAS: 18760-44-6	
LD50, dermal, Rabbit: > 2000 mg/kg (Lit.).	
LD50, oral, Rat: > 5000 mg/kg (Lit.).	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
LD50, oral, Rat: >5000 mg/kg bw (OECD 401).	
LD50, dermal, Rabbit: >2000 mg/kg bw (OECD 402).	

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product		
Based on the available information, the classification criteria are not fulfilled .:		
Substance		
3-(decyloxy)tetrahydrothiophene 1,1-dioxide, CAS: 18760-44-6		
LC50, fish: 1 - 10 mg/l (Lit.).		
EC50, Algae: 10 - 100 mg/l (Lit.).		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
EL50, (24h), Daphnia magna: >10000 mg/l (OECD 202).		
LL50, (96h), Pimephales promelas: >100 mg/l (OECD 203).		
NOEL, (72h), Pseudokirchneriella subcapitata: >100 mg/l (OECD 201).		
NOEL, (21d), Daphnia magna: >10 mg/l (OECD 211).		



Date printed 07.11.2019, Revision 07.11.2019

Version 09. Supersedes version: 08 Page 7 / 10

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

# 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* 150102 150104

### **SECTION 14: Transport information**

14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable



Date printed 07.11.2019, Revision 07.11.2019

42117 Wuppertal

Version 09. Supersedes version: 08 Page 8 / 10

14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 f	o 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Safety Data Sheet 1907/2006/EC - REACH (GB) SWAG 20 93 2600 automatic transmission fluid (ATF) Article number 20 93 2600, 20 93 2605



SWAG Autoteile GmbH 42117 Wuppertal Da

4Z I	17 wuppertai		
Date	printed 07.11.2019, Revision 07.11.2019	Version 09. Supersedes version: 08 Pa	age 9 / 1(
SEC	TION 15: Regulatory information		
15.1	Safety, health and environmental EEC-REGULATIONS	al regulations/legislation specific for the substance or mixture 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS NATIONAL REGULATIONS (GB): - Observe employment restrictions for people - VOC (2010/75/CE)	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019) EH40/2005 Workplace exposure limits (Second edition, published December 2011). no not applicable	
15.2	Chemical safety assessment	not applicable	
SEC	TION 16: Other information		
16.1	Hazard statements (SECTION 03)		
		H411 Toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation. H304 May be fatal if swallowed and enters airways.	
10.2	Abbreviations and acronyms:	ADR = Accord européen relatif au transport international des marchandises Dangerer Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereu voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level ECS0 = Median effective concentration ECB = European Chemicals Bureau EEC = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = International Maritime Code for Dangerous Goods IUCLID = International Covernitor, 50% LD50 = Median lethal dose LC50 = Lethal concentration, 50% LOAEL = lowest-observed-adverse effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant	uses par

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification	procedure
olassification	procedure

**Modified position** 





Version 09. Supersedes version: 08 Page 10 / 10