Date printed 20.12.2022, Revision 20.12.2022



Version 01 Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

automatic transmission fluid (ATF) **Article number: 33 10 8952**

UFI: UUXC-5H0S-S002-DSUX

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de **Safety Data Sheet** info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms





Signal word DANGER

Contains: Distillates (petroleum), hydrotreated light paraffinic

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

Hazard statements H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.



Date printed 20.12.2022, Revision 20.12.2022 Version 01 Page 2 / 13

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 100	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
20 - < 50	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0.25 - < 1	Alkyl thiophosphites
	EINECS/ELINCS: 424-820-7, Reg-No.: 01-0000017126-75-xxxx
	GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H312 - Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (chronic): 10

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.



Date printed 20.12.2022, Revision 20.12.2022 Version 01 Page 3 / 13

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Do not inhale explosion and/or combustion gases.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash face and/or hands before break and end of work.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.



Date printed 20.12.2022, Revision 20.12.2022

Version 01 Page 4 / 13

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not relevant

DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
Alkyl thiophosphites
Industrial, dermal, Long-term - systemic effects, 0.5 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 1.76 mg/m³
general population, oral, Long-term - systemic effects, 0.25 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 0.25 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 0.43 mg/m³
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial, dermal, Long-term - systemic effects, 0.97 mg/kg bw/day
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
general population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day

PNEC

Substance		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
oral (food), 9.33 mg/kg		
Alkyl thiophosphites		
oral (food), 10 mg/kg		
soil, 0.015 mg/kg		
sediment (seawater), 0.007 mg/kg		
sediment (freshwater), 0.073 mg/kg		
sewage treatment plants (STP), 54 mg/l		
seawater, 90 ng/l		
freshwater, 900 ng/l		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
oral (food), 9.33 mg/kg food		



Date printed 20.12.2022, Revision 20.12.2022 Version 01 Page 5 / 13

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0.4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

See SECTION 6+7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Form liquid
Color light brown
Odor characteristic
Odour threshold not relevant
pH-value not applicable
pH-value [1%] not applicable

Boiling point [°C]No information available.

Flash point [°C] 210

Flammability (solid, gas) [°C] No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa]No information available.Density [g/cm³]0.84 (15 °C / 59,0 °F)Relative densitynot determinedBulk density [kg/m³]not applicableSolubility in waterimmiscible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] No information available.

Kinematic viscosity 20 mm²/s (40° C)

Relative vapour density

Evaporation speed

Melting point [°C]

Auto-ignition temperature

Decomposition temperature [°C]

Particle characteristics

No information available.

No information available.

No information available.

No information available.



Date printed 20.12.2022, Revision 20.12.2022

Version 01 Page 6 / 13

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

The product is stable under standard conditions.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

Strong basic compounds Strong acids. Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 20.12.2022, Revision 20.12.2022

Version 01

Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, 5000 mg/kg bw

Alkyl thiophosphites

LD50, oral, Rat, > 2000 mg/kg

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Alkyl thiophosphites

LD50, dermal, Rabbit, > 500 mg/kg

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.



Date printed 20.12.2022, Revision 20.12.2022

Version 01

Page 8 / 13

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEC, inhalative, Rat, 980 mg/m³ (subacute), no adverse effect observed

LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.

LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility,

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazardBased on the available information, the classification criteria are fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards

Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Other information

none



Date printed 20.12.2022, Revision 20.12.2022

Version 01 Page 9 / 13

SECTION 12: Ecological information

12.1 Toxicity

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
EL50, (48h), Invertebrates, 10 g/L	
NOELR, (14d), fish, 1 mg/L	
LL50, (96h), Invertebrates, 10 g/L	
LL50, (96h), fish, 100 mg/L	
Alkyl thiophosphites	
EL50, (72h), Selenastrum capricornutum, 0.31 mg/l	
EL50, (48h), Daphnia magna, 0.09 mg/l	
LL50, (21d), Daphnia magna, 0.22 mg/l	
LL50, (24h), Oncorhynchus mykiss, 2 mg/l	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
NOELR, (14d), fish, 1 g/L	
LL50, (96h), Invertebrates, 10 g/L	
LL50, (96h), fish, 100 mg/L	

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



Date printed 20.12.2022, Revision 20.12.2022

Version 01 Page 10 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the disposal contractor/authorities if necessary.

Dispose of as hazardous waste.

Waste no. (recommended) 130111*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102 150104

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

3082

Inland navigation (ADN) 3082

Marine transport in accordance with

IMDG

3082

Air transport in accordance with IATA 3082



Date printed 20.12.2022, Revision 20.12.2022

Version 01 Page 11 / 13

14.2 UN proper shipping name

Transport by land according to ADR/RID

M6

- Classification Code

- Label



- ADR LQ

5 I

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 3 (-)

Inland navigation (ADN)

Environmentally hazardous substance, liquid, n.o.s. (alkyl thiophosphite)

Environmentally hazardous substance, liquid, n.o.s. (Alkyl thiophosphites)

Environmentally hazardous substance, liquid, n.o.s. (alkyl thiophosphite)

- Classification Code

- Label



Marine transport in accordance with

IMDG

- EMS

F-A, S-F

- Label



- IMDG LQ 5 I

Air transport in accordance with IATA Environmentally hazardous substance, liquid, n.o.s. (Alkyl thiophosphites)

- Label





14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

9 (N)

Inland navigation (ADN)

9 (N)

Marine transport in accordance with 9

IMDG

Air transport in accordance with IATA 9

14.4 Packing group

Transport by land according to

Ш

ADR/RID

Inland navigation (ADN)

Ш

Marine transport in accordance with

IMDG

Air transport in accordance with IATA III



Date printed 20.12.2022, Revision 20.12.2022

Version 01 Page 12 / 13

14.5 Environmental hazards

Transport by land according to

ADR/RID

yes

yes

Inland navigation (ADN)

Marine transport in accordance with MARINE POLLUTANT **IMDG**

Air transport in accordance with IATA yes

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

not applicable

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage. H304 May be fatal if swallowed and enters airways.



Date printed 20.12.2022, Revision 20.12.2022

Version 01 Page 13 / 13

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Weight of evidence)

Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects. (Calculation method)

Modified position none