

42117 Wuppertal

Date printed 16.09.2019, Revision 16.09.2019

Version 09. Supersedes version: 08 Page 1 / 11

SEC	CTION 1: Identification of the subst	tance/mixture and of the company/undertaking
1.1	Product identifier	
		SWAG 60 92 6580 antifreeze Article number: 60 92 6580, 60 92 6581, 60 92 6582
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against
1.2.1	1 Relevant uses	
		Anti-freezing agents
1.2.2	2 Uses advised against	
		For all uses not specified in SECTION 1.2.1
1.3	Details of the supplier of the safe	ety data sheet
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de
	Address enquiries to	
	Technical information	info@swag.de
	Safety Data Sheet	info@swag.de
1.4	Emergency telephone number	
	Advisory body	+49 (0)89-19240 (24h) (English)
	Company	+49 (0)202 26454-0
SEC	TION 2: Hazards identification	
2.1	Classification of the substance of	or mixture [REGULATION (EC) No 1272/2008]
		Acute Tox. 4: H302 Harmful if swallowed. STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms	
Signal word	WARNING
Contains:	Ethylene glycol
Hazard statements	H302 Harmful if swallowed. H373 May cause damage to organs through prolonged or repeated exposure. H319 Causes serious eye irritation.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. P270 Do no eat, drink or smoke when using this product. P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell. P314 Get medical advice / attention if you feel unwell. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention.

42117 Wuppertal

Date printed 16.09.2019, Revision 16.09.2019

Version 09. Supersedes version: 08 Page 2 / 11

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	none

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

	Pango [0/1	Range [%] Substance			
	30 - < 60	Ethylene glycol			
			ECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX		
		GHS/CLP: Acute To	ox. 4: H302 - STOT RE 2: H373		
	1 - < 3	potassium 2-ethylhe	exanoate		
		CAS: 3164-85-0, Ell	NECS/ELINCS: 221-625-7, Reg-No.: 01-2119980714-29-XXXX		
		GHS/CLP: Repr. 2: H361d - Eye Dam. 1: H318 - Skin Irrit. 2: H315			
	Comment on component parts		Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.		
SEC	TION 4: First aid	measures			
4.1	Description of fi	rst aid measures			
	General informatio		Take off contaminated clothing and wash before reuse.		
	General Informatio				
	Inhalation		Ensure supply of fresh air.		
			In the event of symptoms seek medical treatment.		
	Skin contact		In case of contact with skin wash off immediately with soap and water.		
			Consult a doctor if skin irritation persists.		
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy		
	-		to do. Continue rinsing.		
			If eye irritation persists: Get medical advice/attention.		
	Ingestion		Consult a doctor immediately.		
			Rinse out mouth and give plenty of water to drink.		
			Do not induce vomiting.		
4.2	Most important symptoms and effects, both acute and delayed				
			No information available.		
4.3	Indication of any immediate medical attention and special treatment needed				
	Treat symptomatically.				
			If swallowed or in the event of vomiting, risk of product entering the lungs.		
			Forward this sheet to the doctor.		
SEC	TION 5: Fire-fight	ing massures			
3EC	TION 5. File-fight	ing measures			
5.1	Extinguishing m	edia			
	Suitable extinguis	hing media	foam, dry powder, water spray jet, carbon dioxide		
	Extinguishing med	-	Full water jet.		
	be used				
5.2	Special hazards	arising from the	substance or mixture		
	epseur nazarao				
			Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)		

SW Arti SW	ety Data Sheet 1907/2006/EC - I AG 60 92 6580 antifreeze icle number 60 92 6580, 60 92 6 AG Autoteile GmbH 17 Wuppertal		SW	
Date	printed 16.09.2019, Revision 16.09.2019		Version 09. Supersedes version: 08	Page 3 / 11
5.3	Advice for firefighters	the local regulations.	us. ghting water must be disposed of in accor	dance within
	TION 6: Accidental release measu			
6.1	Personal precautions, protective	equipment and emergency proce High risk of slipping due to leakage/s Forms slippery surfaces with water.		
6.2	Environmental precautions	Prevent spread over a wide area (e.g Do not discharge into the drains/surfa		
6.3	Methods and material for contain		sand, sawdust, universal absorbent, diato	omaceous
6.4	Reference to other sections	See SECTION 8+13		
SEC	TION 7: Handling and storage			
7.1	Precautions for safe handling	Use only in well-ventilated areas.		
		Take off contaminated clothing and w Do not eat, drink or smoke when usin Use barrier skin cream. Wash hands before breaks and after Contaminated work clothing should n	g this product. work.	
7.2	Conditions for safe storage, inclu	iding any incompatibilities		
		Keep only in original container. Prevent penetration into the ground.		
		Do not store together with oxidizing a Do not store together with food and a	-	
		Keep container tightly closed. Keep container in a well-ventilated pla	ace.	
7.3	Specific end use(s)	See product use, SECTION 1.2		

See product use, SECTION 1.2

42117 Wuppertal

Date printed 16.09.2019, Revision 16.09.2019

Version 09. Supersedes version: 08 Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance		
thylene glycol		
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX		
Long-term exposure: 20 ppm, 52 mg/m ³ , Vapour, particulate: 10 mg/m ³		
Short-term exposure (15-minute): 40 ppm, 104 mg/m ³		

Ingredients with occupational exposure limits to be monitored (EU)

.0		
	Substance / EC LIMIT VALUES	
	Ethylene glycol	
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX	
	Eight hours: 20 ppm, 52 mg/m ³ , H	
	Short-term (15-minute): 40 ppm, 104 mg/m ³	

DNEL

PNEC

Substance			
Ethylene gl	ycol, CAS: 107-21-1		
Industrial, c	lermal, Long-term - systemic effects: 106 mg/m ³ .		
Industrial, in	nhalative, Long-term - local effects: 35 mg/m ³ .		
general pop	pulation, dermal, Long-term - systemic effects: 53 mg/m ³ .		
general pop	eneral population, inhalative, Long-term - local effects: 7 mg/m³.		
potassium 2	2-ethylhexanoate, CAS: 3164-85-0		
Industrial, c	lermal, Long-term - systemic effects: 5,95 mg/kg bw/d.		
Industrial, in	nhalative, Long-term - systemic effects: 32 mg/m ³ .		
general pop	pulation, oral, Long-term - systemic effects: 2,5 mg/kg bw/d.		
general pop	pulation, dermal, Long-term - systemic effects: 2,98 mg/kg bw/d.		
general pop	pulation, inhalative, Long-term - systemic effects: 8 mg/m ³ .		
Substance			
Ethylene gl	ycol, CAS: 107-21-1		
freshwater,	10 mg/L.		
seawater, 1	mg/L.		
sediment (f	reshwater), 37 mg/kg.		
soil, 1,53 m	g/kg.		
sewage trea	atment plants (STP), 199,5 mg/l (AF=10).		
sediment (s	eawater), 3,7 mg/kg.		
potassium 2	2-ethylhexanoate, CAS: 3164-85-0		
soil, 1.06 m	g/kg.		
sediment (s	seawater), 637 μg/kg.		
sediment (f	reshwater), 6.37 mg/kg.		
sewage trea	atment plants (STP), 71.7 mg/L.		
seawater, 3	ю́ µg/L.		
freshwater,	360 µg/L.		



Version 09. Supersedes version: 08 Page 5 / 11

Date printed 16.09.2019, Revision 16.09.2019

8.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
	Eye protection	Safety glasses. (EN 166:2001)
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
	Skin protection	Light protective clothing.
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
	Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
	Thermal hazards	No information available.
	Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	light yellow
Odor	characteristic
Odour threshold	No information available.
pH-value	7,5 - 9
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	> 100 (DIN 51758)
Flammability (solid, gas) [°C]	> 400 (DIN 51794)
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	<0,01 (20°C)
Density [g/ml]	1,06 (DIN 51757) (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	22 mm²/s (20°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information



Date printed 16.09.2019, Revision 16.09.2019



Version 09. Supersedes version: 08 Page 6 / 11

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 16.09.2019, Revision 16.09.2019

Version 09. Supersedes version: 08 Page 7 / 11

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product		
inhalative, Based on the available information, the classification criteria are not fulfilled .:		
dermal, Based on the available information, the classification criteria are not fulfilled .:		
ATE-mix, oral, 1063 mg/kg bw.		

ubstance	
thylene glycol, CAS: 107-21-1	
D50, dermal, mouse: > 3500 mg/kg.	
D50, oral, Rat: 7712 mg/kg.	
C50, inhalative, Rat: > 2,5 mg/l 6h.	
DLo, oral, Human: ca. 1600 mg/kg.	
otassium 2-ethylhexanoate, CAS: 3164-85-0	
D50, dermal, Rabbit: 2000 mg/kg bw.	
D50, oral, Rat: 2043 mg/kg bw.	
C50, inhalative, Rat: 110 mg/m³ (8 h).	

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Toxicological data of complete product are not available. May cause damage to organs through prolonged or repeated exposure. Calculation method
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Date printed 16.09.2019, Revision 16.09.2019

Version 09. Supersedes version: 08 Page 8 / 11

SECTION 12: Ecological information

12.1 Toxicity

Product	
Based on the available information, the classification criteria are not fulfilled.:	
bstance	
hylene glycol, CAS: 107-21-1	
50, (96h), Pimephales promelas: 72 860 mg/l.	
C50, (96h), Selenastrum capricornutum: 6500 - 13000 mg/l.	
C50, (48h), Daphnia magna: > 100 mg/l OECD 202.	
tassium 2-ethylhexanoate, CAS: 3164-85-0	
50, (96h), fish: 100 mg/L.	
C50, (6d), Algae: 49.3 mg/L.	
C50, (48h), Crustacea: 85.4 mg/L.	

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	Biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Dispose of as hazardous waste. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	160114*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110*

42117 Wuppertal

Date printed 16.09.2019, Revision 16.09.2019



Version 09. Supersedes version: 08 Page 9 / 11

SEC	TION 14: Transport information	
14.1	UN number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

42117 Wuppertal

Date printed 16.09.2019, Revision 16.09.2019



Version 09. Supersedes version: 08 Page 10 / 11

14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.
14.7	Transport in bulk according to An	nex II of MARPOL and the IBC Code
	not applicable	
SEC	TION 15: Regulatory information	
15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
	TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
	- VOC (2010/75/CE)	0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.



Date printed 16.09.2019, Revision 16.09.2019

Version 09. Supersedes version: 08 Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

- LC50 = Lethal concentration, 50%
- LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

NOEC = NO Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

	Classification procedure	Acute Tox. 4: H302 Harmful if swallowed. (Calculation method) STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method) Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)
	Modified position	SECTION 2 deleted: potassium 2-ethylhexanoate
		SECTION 2 been added: potassium 2-ethylhexanoate
		SECTION 3 been added: potassium 2-ethylhexanoate
		SECTION 2 been added: P337+P313 If eye irritation persists: Get medical advice / attention.
		SECTION 2 been added: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		SECTION 2 been added: P280 Wear eye protection / face protection.

SECTION 2 been added: H319 Causes serious eye irritation.

SECTION 2 been added: Eye Irrit. 2