

Date printed 12.11.2019, Revision 12.11.2019



Version 09. Supersedes version: 08 Page 1 / 9

1.1	Product identifier		
		SWAG 99 90 3630 grease	
		Article number: 99 90 3630	
1.2	Relevant identified uses of t	he substance or mixture and uses advised against	
1.2.1	Relevant uses		
		Lubricant	
1.2.2	2 Uses advised against		
		For all uses not specified in SECTION 1.2.1	
1.3	Details of the supplier of the	e safety data sheet	
	Company	SWAG Autoteile GmbH	
		Am Kiesberg 4-6 42117 Wuppertal / GERMANY	
		Phone +49 (0)202 26454-0	
		Fax +49 (0)202 26454-5000	
		Homepage www.swag.de E-mail info@swag.de	
	Address enquiries to		
	Technical information	info@swag.de	
	Safety Data Sheet	info@swag.de	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
	Company	+49 (0)202 26454-0	
SEC	TION 2: Hazards identification	n	
2.1	Classification of the substar	nce or mixture [REGULATION (EC) No 1272/2008]	
		No classification.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP)	
	Hazard pictograms	none	
	Signal word	none	
	Hazard statements	none	
	Precautionary statements	none	
	Special labelling	EUH210 Safety data sheet available on request.	
		Contains: 5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione. EUH208 May produce an allergic reaction.	
2.3	Other hazards		
	Physico-chemical hazards	No particular hazards known.	
	Environmental hazards	Does not contain any PBT or vPvB substances.	
	Other hererde	,	

Other hazards



Version 09. Supersedes version: 08

Page 2 / 9

Date printed 12.11.2019, Revision 12.11.2019

# **SECTION 3: Composition / Information on ingredients**

# Product-type:

### 3.2 The product is a mixture.

	Range [%] Substance		
	1 - < 5 Dilithium azelate		
	CAS: 38900-29-7, EINECS/ELINCS: 254-184-4, Reg-No.: 01-2120119814-57-XXXX		
GHS/CLP: Acute Tox. 4: H302   0,1 - < 1   5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione   CAS: 72676-55-2, EINECS/ELINCS: 276-763-0			
		thiadiazole-2(3H)-thione	
		EINECS/ELINCS: 276-763-0	
	GHS/CLP: Skin Se	ens. 1: H317 - Aquatic Chronic 2: H411	
Comment on component parts		All chemical substances in this material are included on or exempted from listing on the IECSC Inventory. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.	
SEC	TION 4: First aid measures		
4.1	Description of first aid measures	6	
	General information	Change soaked clothing.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Seek medical advice immediately. Do not induce vomiting.	
4.2	Most important symptoms and e	ffects, both acute and delayed	
No information available.		No information available.	
4.3	Indication of any immediate med	lical attention and special treatment needed	
Treat symptomatically. Forward this sheet to the doctor.			
SEC	TION 5: Fire-fighting measures		
5.1	Extinguishing media		
	Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide	
	Extinguishing media that must not be used	Full water jet	
5.2	2 Special hazards arising from the substance or mixture		
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Nitrogen oxides (NOx).	
5.3	Advice for firefighters		
		Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	

Date printed 12.11.2019, Revision 12.11.2019



Version 09. Supersedes version: 08 Page 3 / 9

SEC	SECTION 6: Accidental release measures		
6.1	1 Personal precautions, protective equipment and emergency procedures		
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.	
6.2	Environmental p	precautions	
		Do not discharge into the drains/surface waters/groundwater.	
6.2	Matheda and m	starial for containment and cleaning up	
6.3	wethous and ma	aterial for containment and cleaning up Take up mechanically.	
		Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to oth	ner sections	
		See SECTION 8+13	
SEC	TION 7: Handling	and storage	
7.1	Precautions for	No special measures necessary if used correctly.	
		Do not eat, drink or smoke when using this product.	
		Use barrier skin cream.	
		Wash face and/or hands before break and end of work. Contaminated work clothing should not be allowed out of the workplace.	
		Take off contaminated clothing and wash before reuse.	
7.2	Conditions for s	afe storage, including any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.	
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.	
		Keep container tightly closed.	
7.3	Specific end use	e(s)	
		See product use, SECTION 1.2	
SEC	TION 8: Exposure	e controls / personal protection	
8.1	Control paramet		
		b be monitored (GB)	
		not applicable	
	DNEL		
	DNEL	Substance	
		Dilithium azelate, CAS: 38900-29-7	
		Industrial, dermal, Long-term - local effects: 172 μg/cm <sup>2</sup> .	
		general population, dermal, Acute - systemic effects: 23 µg/cm <sup>2</sup> .	
	PNEC		
Substance		Substance	
		Dilithium azelate, CAS: 38900-29-7	
		seawater, 2,3 µg/L.	
		freshwater, 23 µg/L.	

# 42117 Wuppertal

Date printed 12.11.2019, Revision 12.11.2019



Version 09. Supersedes version: 08 Page 4 / 9

8.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
	Eye protection	If there is a risk of splashing: safety glasses
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).
	Skin protection	light protective clothing
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	Not required under normal conditions.
	Thermal hazards	No information available.
	Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Form	pasty
Color	black
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0,94 (DIN 51757) (25°C / 77,0°F)
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	NGLI 2
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.

# 9.2 Other information

Date printed 12.11.2019, Revision 12.11.2019



Version 09. Supersedes version: 08 Page 5 / 9

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

#### 10.4 Conditions to avoid

No special measures necessary.

#### 10.5 Incompatible materials

Oxidizing agent Acids

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product	
inhalative, Based on the available information, the classification criteria are not fulfilled.:	
dermal, Based on the available information, the classification criteria are not fulfilled.:	
ATE-mix, oral, 49 000 mg/kg bw.	

Substance
Dilithium azelate, CAS: 38900-29-7
LD50, dermal, Rat: 2000 mg/kg bw.
LD50, oral, Rat: 300 mg/kg bw.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

Product



Date printed 12.11.2019, Revision 12.11.2019

Version 09. Supersedes version: 08 Page 6 / 9

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled.:

Substance
Dilithium azelate, CAS: 38900-29-7
LC50, (96h), fish: 100 mg/L.
EC50, (72h), Algae: 23 mg/L.
EC50, (48h), Crustacea: 100 mg/L.

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

## Product

	In according to RoHS! Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	120112* spent waxes and fats
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* 150102 150104

# 42117 Wuppertal

Date printed 12.11.2019, Revision 12.11.2019



Version 09. Supersedes version: 08 Page 7 / 9

SEC	FION 14: Transport information	
14.1	UN number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

# 42117 Wuppertal

Date printed 12.11.2019, Revision 12.11.2019



Version 09. Supersedes version: 08 Page 8 / 9

14.5	Environmental hazards Transport by land according to ADR/RID	no	
	Inland navigation (ADN)	no	
	Marine transport in accordance with IMDG	no	
	Air transport in accordance with IATA	ransport in accordance with IATA no	
14.6	Special precautions for user		
	Relevant information under SECTION 6 to 8		

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

#### not applicable

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014		
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)		
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).		
- Observe employment restrictions for people	no		
- VOC (2010/75/CE)	not applicable		
15.2 Chemical safety assessment			
	not applicable		
SECTION 16: Other information			
16.1 Hazard statements (SECTION 03)			

H411 Toxic to aquatic life with long lasting effects. H317 May cause an allergic skin reaction. H302 Harmful if swallowed.



Date printed 12.11.2019, Revision 12.11.2019



Version 09. Supersedes version: 08 Page 9 / 9

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

# RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Classification procedure

**Modified position** 

none