

Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03

Page 1 / 9

SECTION 1: Identification of the substance / preparation and of the company

1.1 Product identifier

SWAG 99 90 3630 grease Article number 99 90 3630

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency phone

Advisory body +49 (0)89-19240 (24h) (english)

Company +49 (0)202 26454-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

not determined

2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with EC-directives.

Labelling according to Regulation 67/548/EEC or 1999/45/EC

Hazard symbols none R-phrases none

Special labelling Safety data sheet available for professional user on request.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards none



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03

Page 2 / 9

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
1 - < 2,5	aromatic amine alkylated
	GHS/CLP: Aquatic Chronic 3: H412
	EEC: R 52/53
0,1 - 1	1,2-Dihydro-2,2,4-trimethylquinoline, oligomers
	CAS: 26780-96-1, EINECS/ELINCS: 500-051-3
	GHS/CLP: Aquatic Chronic 3: H412
	EEC: R 52/53
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, ECB-Nr.: 01-2119565113-46-XXXX
	GHS/CLP: Aquatic Chronic 1: H410, M = 1
	EEC: N, R 50/53

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Unknown risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03

Page 3 / 9

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Wash hands before breaks and after work.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03 Page 4 / 9

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
< 0,25	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4
	Long-term exposure: 10 mg/m³

DNEL

Range [%]	Substance
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	Industrial, inhalative, Long-term - systemic effects: 5,8 mg/m³.
	Industrial, dermal, Long-term - systemic effects: 8,3 mg/kg.

PNEC

Range [%]	Substance
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	soil, 1,04 mg/kg.
	sewage treatment plants (STP), 100 mg/l.
	sediment (fresh water), 1,29 mg/kg.
	marine water, 0,0004 mg/l.
	fresh water, 0,004 mg/l.

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Eye protection If there is a risk of splashing:

Safety glasses.

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374).

Skin protection light protective clothing

Other Avoid contact with eyes and skin.

Respiratory protectionnot applicableThermal hazardsnot determinedDelimitation and monitoring of the
environmental expositionSee SECTION 6+7.



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03

Page 5 / 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form pasty Color black Odor characteristic **Odour threshold** not applicable pH-value not applicable pH-value [1%] not applicable Boiling point [°C] not determined Flash point [°C] not applicable Flammability [°C] not determined Lower explosion limit not determined Upper explosion limit not determined

Oxidizing properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/ml] 0,98 (DIN 51757) (25°C / 77,0°F)

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 insoluble

 Partition coefficient [n-octanol/water]
 not determined

Viscosity NLGI 2

Relative vapour density determined

n air

not determined

not determined

Melting point [°C]not determinedAutoignition temperature [°C]not determinedDecomposition temperature [°C]not determined

9.2 Other information

Evaporation speed

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03

Page 6 / 9

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Serious eye damage/irritation

Acute toxicity

Range [%]	Substance
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	LD50, dermal, Rabbit: > 2000 mg/kg (Lit.).
	LD50, oral, Rat: 2930 mg/kg (Lit.).

not determined

Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined single exposure Specific target organ toxicity not determined repeated exposure Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined

Toxicological data of complete product are not available.

No classification on the basis of the calculation procedure of the preparation directive. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

General remarks

12.1 Toxicity

<u>-</u>	
Range [%]	Substance
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	LC50, (96h), Brachidanio rerio: > 0,42 mg/l (Lit.).
	LC50, (48h), Daphnia magna: > 0,57 mg/l (Lit.).
	EC50, (72h), Scenedesmus subspicatus: > 0,42 mg/l (Lit.).

12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03

Page 7 / 9

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

For recycling, consult manufacturer.

Waste no. (recommended)

120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Uncontaminated packaging may be reused.

Waste no. (recommended)

150110* 150102 150104

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03

Page 8 / 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

no

- VOC (1999/13/CE) not applicable

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 R-phrases (SECTION 3)

R 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

16.2 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

16.3 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.4 Other information



Date printed 18.02.2014, Revision 17.02.2014

Version 04. Supersedes version: 03 Page 9 / 9

Modified position

SECTION 4 been added: Forward this sheet to the doctor.

SECTION 4 been added: If eye irritation persists: Get medical advice/attention.

SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

SECTION 6 been added: Forms slippery surfaces with water.

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the

workplace.

SECTION 7 been added: Do not eat, drink or smoke when using this product.

SECTION 7 been added: Cloths contaminated with product should not be kept in trouser

pockets.

SECTION 8 been added: If there is a risk of splashing: