SECTION 1: Identification of the substance/mixture and of the company/undertaking

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.10.2018, Revision 29.10.2018

1.1

1.3

2.1



Page 1/8 Version 08. Supersedes version: 07

Product identifier febi 02582 grease Article number: 02582 1.2 Relevant identified uses of the substance or mixture and uses advised against 1.2.1 Relevant uses Lubricant 1.2.2 Uses advised against For all uses not specified in SECTION 1.2.1 Details of the supplier of the safety data sheet Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com Address enquiries to **Technical information** info@febi.com Safety Data Sheet info@febi.com 1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English) +49 2333 911-0 Company **SECTION 2: Hazards identification** Classification of the substance or mixture [REGULATION (EC) No 1272/2008] No classification. 2.2 Label elements The product does not require a hazard warning label in accordance with GHS/CLP-directives. Hazard pictograms none Signal word none Hazard statements none **Precautionary statements** none 2.3 Other hazards Other hazards No particular hazards known. **SECTION 3: Composition / Information on ingredients Product-type:** The product is a mixture.

Comment on component parts

No dangerous components. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 02582 grease Article number 02582

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.10.2018, Revision 29.10.2018



Version 08. Supersedes version: 07

Page 2 / 8

SECTION 4: First aid measures

4.1	Description of first aid measures	
	General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Seek medical advice immediately. Do not induce vomiting.
4.2	Most important symptoms and eff	ects, both acute and delayed
		No information available.
4.3	Indication of any immediate medio	cal attention and special treatment needed
		Treat symptomatically. Forward this sheet to the doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not be used	Full water jet
5.2	Special hazards arising from the s	substance or mixture
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).
5.3	Advice for firefighters	
		Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	es
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	nent and cleaning up
		Take up mechanically. Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13

Date printed 29.10.2018, Revision 29.10.2018



Version 08. Supersedes version: 07

Page 3 / 8

	7.1 Precautions for safe handling		
	Frecautions for sale handling	No special measures necessary if used correctly.	
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.	
7.2 Conditions for safe storage, including any incompatibilities		uding any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.	
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.	
		Keep container tightly closed. Keep in a cool place.	
7.3	Specific end use(s)	See product use, SECTION 1.2	
		•	
SEC	CTION 8: Exposure controls / perso	nal protection	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB)	not applicable	
8.2	Exposure controls		
	Additional advice on system design	Ensure adequate ventilation on workstation	
		Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.	
	Eye protection	Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of	
	Eye protection Hand protection	Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. If there is a risk of splashing:	
		Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information.	
	Hand protection	Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,3 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).	
	Hand protection Skin protection	Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,3 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.	
	Hand protection Skin protection Other	Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,3 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.	

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 02582 grease Article number 02582

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.10.2018, Revision 29.10.2018



Version 08. Supersedes version: 07

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	pasty
Color	black
Odor	mild
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 100
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	ca. 0,9 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	> 20,5 mm²/s (40°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.

9.2 Other information

Drop point: 190

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Sensitive to moisture.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 29.10.2018, Revision 29.10.2018



Version 08. Supersedes version: 07

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.:
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.:

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment or into the drainage.

Date printed 29.10.2018, Revision 29.10.2018



Version 08. Supersedes version: 07

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
	Waste no. (recommended)	120112* spent waxes and fats
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110*
SEC	TION 14: Transport information	
14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 02582 grease Article number 02582

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.10.2018, Revision 29.10.2018



Version 08. Supersedes version: 07 Page 7 / 8

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.
14.7	Transport in bulk according to An	nex II of MARPOL
	not applicable	-
SEC	TION 15: Regulatory information	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	not applicable

and the IBC Code

15.2 Chemical safety assessment

not applicable

Date printed 29.10.2018, Revision 29.10.2018



Version 08. Supersedes version: 07

Page 8 / 8

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position

none