

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019 Version 01 Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 170140 Gear oil SAE 75W-90 (GL-4/5) Article number: 170140, 170141, 170142

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com

E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). EUH208 May

produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards No particular hazards known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019 Version 01 Page 2 / 11

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
1 - < 5	Polysulfides, di-tert-Bu
	CAS: 68937-96-2, EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43-XXXX
	GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 3: H412
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
	CAS: -, EINECS/ELINCS: 931-384-6, Reg-No.: 01-2119493620-38-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Sens. 1: H317 - Eye Dam. 1: H318 - Aquatic Chronic 2: H411

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019

Version 01

Page 3 / 11

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas. Use solvent-resistant equipment.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019

Version 01

Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

general population, inhalative, Long-term - systemic effects: 2.6 mg/m³.

DNEL

Substance
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -
Industrial, inhalative, Long-term - systemic effects: 8,56 mg/m³/8h (ECHA CHEM).
Industrial, dermal, Long-term - systemic effects: 12,5 mg/kg/8h (ECHA CHEM).
general population, oral, Long-term - systemic effects: 0,25 mg/kg bw/day.
general population, dermal, Acute - local effects: 0,024 mg/cm².
general population, dermal, Long-term - systemic effects: 6,25 mg/kg bw/day.
general population, inhalative, Long-term - systemic effects: 2,2 mg/m³.
Polysulfides, di-tert-Bu, CAS: 68937-96-2
Industrial, dermal, Long-term - systemic effects: 3.33 mg/kg bw/day.
Industrial, inhalative, Long-term - systemic effects: 14.5 mg/m³.
general population, dermal, Long-term - systemic effects: 1.66 mg/kg bw/day.

PNEC

Substance		
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -		
sewage treatment plants (STP), 24.33 mg/l (ECHA CHEM).		
soil, 2,54 mg/kg soil dw (ECHA CHEM).		
sediment (seawater), 0,313 mg/kg (ECHA CHEM).		
sediment (freshwater), 3,13 mg/kg (ECHA CHEM).		
seawater, 0,00012 mg/l (ECHA CHEM).		
freshwater, 0,0012 mg/l (ECHA CHEM).		
Polysulfides, di-tert-Bu, CAS: 68937-96-2		
oral (food), 6.66 mg/kg food.		
soil, 1513 mg/kg soil dw.		
sediment (seawater), 0.094 mg/kg sediment dw.		
sediment (freshwater), 0.94 mg/kg sediment dw.		
sewage treatment plants (STP), 4.51 mg/l.		
seawater, 0.024 µg/l.		
freshwater, 0.24 µg/l.		



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019 Version 01 Page 5 / 11

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

> 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

Respiratory protection not applicable

No information available. Thermal hazards

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Form liquid dark yellow Color Odor characteristic

Odour threshold No information available.

pH-value not applicable pH-value [1%] not applicable

Boiling point [°C] No information available.

Flash point [°C] 202

Flammability (solid, gas) [°C] No information available. Lower explosion limit No information available. No information available. Upper explosion limit

Oxidising properties

Vapour pressure/gas pressure [kPa] No information available.

Density [g/ml] 0,86 (DIN 51757) (15 °C / 59,0 °F)

Bulk density [kg/m³] not applicable immiscible Solubility in water

Partition coefficient [n-octanol/water] No information available. 119 mm²/s (40°C) **Viscosity**

Relative vapour density determined

No information available.

Evaporation speed No information available. Melting point [°C] No information available.

Autoignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Other information

No information available.



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019

Version 01

Page 6 / 11

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds strong acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019

Version 01

Page 7 / 11

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -

LD50, oral, Rat: 2000 mg/kg bw (OECD 401).

Polysulfides, di-tert-Bu, CAS: 68937-96-2

LD0, dermal, Rat: 2000 mg/kg bw (OECD 402)

LD0, oral, Rat: 2000 mg/kg bw (OECD 401).

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Non-irritant.

Classification was carried out based on substance-specific concentration limits.

The undiluted substance "931-384-6" is an irritant while the 50% formulation in mineral oil was

not an irritant

Skin corrosion/irritationToxicological data of complete product are not available.

No classification. Calculation method

Respiratory or skin sensitisation Non-sensitizing.

On basis of test data

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

 Mutagenicity
 Based on the available information, the classification criteria are not fulfilled.

 Reproduction toxicity
 Based on the available information, the classification criteria are not fulfilled.

 Carcinogenicity
 Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard General remarks Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

Substance

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -

EC50, (96h), Pseudokirchneriella subcapitata: 6,4 mg/l (OECD 201).

EL50, (21d), Daphnia magna: 0,91 mg/l (OECD 211).

EL50, (48h), Daphnia magna: 91,4 mg/l (OECD 202).

LL50, (96h), Oncorhynchus mykiss: 24 mg/l (OECD 203).

Polysulfides, di-tert-Bu, CAS: 68937-96-2

LC50, (96h), Danio rerio: >0.088 mg/l (OECD 203)

>0.088 mg/l (OECD 203).

EC50, (72h), Pseudokirchneriella subcapitata: 2.45 mg/l (OECD 201)

>0.27 mg/l (OECD 202)

>0.27.

EC50, (24h), Daphnia magna: >0.27 mg/l (OECD 202)

>0.27 mg/l (OECD 202)

>0.2.



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019 Page 8 / 11 Version 01

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined not determined

Behaviour in sewage plant Biological degradability

not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130206*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

not applicable

Marine transport in accordance with

IMDG

Air transport in accordance with IATA not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019

Version 01 Page 9 / 11

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

no

ADR/RID

Inland navigation (ADN)

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019 Page 10 / 11 Version 01

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019): IMDG-Code (2019, 39, Amdt.): IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for young people.

- VOC (2010/75/CE) not applicable

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H411 Toxic to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information Classification procedure



Ferdinand Bilstein GmbH + Co. KG

Date printed 14.10.2019, Revision 14.10.2019

Version 01 Page 11 / 11

Modified position

none