ebi bilstein

Page 1 / 13

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

automatic transmission fluid (ATF)
Article number: 171785

Attole number. 1717 of

1.2 Relevant identified uses of the substance or mixture and uses advised against

1 2 1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

Company +49 2333 911-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Signal word DANGER

Contains: Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards

Human health dangers If swallowed or in the event of vomiting, risk of product entering the lungs.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards No particular hazards known.

ebi bilstein

Page 2 / 13

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance	
50 - 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX	
	GHS/CLP: Asp. Tox. 1: H304	
0.1 - < 0.25	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	
	CAS: 1218787-32-6, EINECS/ELINCS: 620-540-6, Reg-No.: 01-2119510877-33-XXXX	
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 10	
0.01 - < 0.1	N,N-Dimethyl-n-octadecylamine	
	CAS: 124-28-7, EINECS/ELINCS: 204-694-8, Reg-No.: 01-2119486676-20	
	GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H302 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410	
0.01 - < 0.1	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	
	EINECS/ELINCS: 939-485-7, Reg-No.: 01-2119974116-35	
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410	

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.
Consult a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

If swallowed or in the event of vomiting, risk of product entering the lungs.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 3 / 13

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

Keep away from sources of ignition - refrain from smoking. Ignitable mixtures can be formed in the empty container.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original tightly closed container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place. Protect from heat/overheating and from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 4 / 13

SECTION 8: Exposure controls / personal protection

Substance

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not relevant

DNEL

Cubstance			
N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7			
Industrial, inhalative, Acute - local effects, 1 mg/m³			
Industrial, inhalative, Long-term - systemic effects, 1 mg/m³			
Industrial, inhalative, Long-term - local effects, 1 mg/m³			
general population, oral, Long-term - systemic effects, 0.5 mg/kg bw/d (AF=100)			
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1			
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³			
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³			
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day			
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day			
general population, inhalative, Long-term - local effects, 1.19 mg/m³			
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6			
Industrial, inhalative, Long-term - systemic effects, 2.112 mg/m³			
Industrial, dermal, Long-term - systemic effects, 0.3 mg/kg bw/day			
general population, oral, Long-term - systemic effects, 0.214 mg/kg bw/day			
general population, dermal, Long-term - systemic effects, 0.214 mg/kg bw/day			
general population, inhalative, Long-term - systemic effects, 0.745 mg/m³			
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine			
Industrial, dermal, Long-term - systemic effects, 0.7 mg/kg bw/d (AF= 100)			
Industrial, inhalative, Long-term - systemic effects, 4.9 mg/m³ (AF= 25)			
general population, inhalative, Long-term - systemic effects, 0.74 mg/m³ (AF= 50)			

PNEC

Substance		
N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7		
sediment (freshwater), 1.25 mg/kg dw (AF=50)		
freshwater, 0.26 µg/L (AF= 10)		
sewage treatment plants (STP), 130 μg/L (AF= 100)		
sediment (seawater), 0.125 mg/kg dw (AF=500)		
soil, 1 mg/kg dw (AF=10)		
seawater, 0.03 µg/L (AF= 100)		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
oral (food), 9.33 mg/kg food		
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6		
freshwater, 0.214 μg/L		
oral (food), 2 mg/kg food		
soil, 5 mg/kg soil dw		
sediment (seawater), 0.169 mg/kg sediment dw		
sediment (freshwater), 1.692 mg/kg sediment dw		



Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 5 / 13

sewage treatment plants (STP), 1500 μg/L		
seawater, 0.021 µg/L		
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		
seawater, 0.084 µg/L (AF= 500)		
freshwater, 0.84 µg/L (AF= 50)		
sewage treatment plants (STP), 1.3 mg/L (AF= 10)		
sediment (freshwater), 3.19 mg/kg dw (AF= 1)		
sediment (seawater), 0.32 mg/kg dw (AF= 10)		
soil, 1.59 mg/kg dw (AF= 1)		

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

The details concerned are recommendations. Please contact the glove supplier for further Hand protection

information.

> 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection No special measures necessary.

Thermal hazards No information available.

Delimitation and monitoring of the

Comply with applicable environmental regulations limiting discharge to air, water and soil. environmental exposition



Page 6 / 13

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorblue

SECTION 9: Physical and chemical properties

Odor characteristic

Odour thresholdNo information available.pH-valueNo information available.pH-value [1%]No information available.

Boiling point [°C] not applicable

Flash point [°C] 190 (EN ISO 2592) (COC)
Flammability (solid, gas) [°C] No information available.

 Lower explosion limit
 not applicable

 Upper explosion limit
 not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa]No information available.Density [g/cm³]0.84 (15 °C / 59,0 °F)Relative densitynot determinedBulk density [kg/m³]not applicableSolubility in watervirtually insoluble

Solubility other solvents

Partition coefficient [n-octanol/water]

Kinematic viscosity

Relative vapour density

Evaporation speed

Melting point [°C]

No information available.

No information available.

No information available.

Auto-ignition temperature not applicable

Decomposition temperature [°C] No information available.

Particle characteristics No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids and strong oxidizing agents.

10.4 Conditions to avoid

Strong heating.

bfe00084



Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 7 / 13

10.5 Incompatible materials

Oxidizing agent Acids Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 8 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7

LD50, oral, Rat, >2000 mg/kg bw (OECD 401)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

LD50, oral, Rat, 1500 mg/kg bw (OECD 425)

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine

LD50, oral, Rat, 300 - 2000 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Produc

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation
Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

Based on the available information, the classification criteria are not fulfilled.

single exposure
Specific target organ toxicity —

Based on the available information, the classification criteria are not fulfilled.

repeated exposure

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

NOAEL, oral, Dog, 13 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 9 / 13

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

- Fertility No information available.- Development No information available.

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are fulfilled.

May be fatal if swallowed and enters airways.

On basis of test data

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

Endocrine disrupting propertiesContains no ingredients with endocrine-disrupting properties.

Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product	
Based on the available information, the classification criteria are not fulfilled	

Substance	
N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7	
LC50, (96h), Oncorhynchus mykiss, 0.18 mg/l (OECD 203)	

EC10, (72h), Desmodesmus subspicatus, 4.31 μg/l (OECD 201)
EC10, (48h), Daphnia magna, 0.593 mg/l (OECD 202)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOELR, (14d), fish, 1 g/L LL50, (4d), Invertebrates, 10 g/L

LL50, (4d), fish, 100 mg/L

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

LC50, (24h), Danio rerio, >0.29 mg/L (OECD 203)

EC50, (24h), Daphnia magna, 0.21 mg/L (OECD 202)

EC10, (72h), Daphnia magna, 34.1 μg/L (OECD 201)

EC10, (21d), Daphnia magna, 10.7 µg/L (OECD 211)

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine

LC50, (96h), fish, 2.14 mg/L

12.2 Persistence and degradability

Behaviour in environment

No information available.

compartments

Behaviour in sewage plant

No information available.

Biological degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 10 / 13

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 130208*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

150102

150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0 Page 11 / 13

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

no

Inland navigation (ADN)

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) not relevant

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0 Page 12 / 13

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

 $\mbox{ADN} = \mbox{Accord}$ européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

Modified position SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.

bfe00084

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 31.01.2023

Version 12.0. Supersedes version: 11.0

Page 13 / 13