# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Version 01 Page 1 / 11

4.4	Product identifier	
1.1	Product identifier	febi 172169 Engine Oil SAE 5W-30 D1 Article number: 172169, 172170, 172171
1.2	Relevant identified uses of the	e substance or mixture and uses advised against
1.2.	1 Relevant uses	
		Engine oil
1.2.	2 Uses advised against	
		None known.
1.3	Details of the supplier of the s	safety data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
1.4	Emergency telephone number	
054	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	CTION 2: Hazards identification	
2.1	Classification of the substance	e or mixture [REGULATION (EC) No 1272/2008]
		Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.
2.2	Label elements	
		The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP
	Hazard pictograms	none
	Signal word	none
	Hazard statements	H412 Harmful to aquatic life with long lasting effects.
	Precautionary statements	P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/national regulation.
	UFI:	6GTC-5G45-V00M-MAPH
2.3	Other hazards	
	Physico-chemical hazards	No particular hazards known.
	Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation.
	Environmental hazards	Does not contain any PBT or vPvB substances.

# 3.1 Substances

not applicable

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Page 2 / 11

# 3.2 Mixtures

3.2	3.2 Mixtures		
	The product is a mixture.		
	Range [%]	Substance	
		0 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)	
	50-1100		EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
		GHS/CLP: Asp. To:	
	1 - < 5 Bis(nonylphenyl)amine		
	CAS: 36878-20-3, EINECS/ELINCS: 253-249-4, Reg-No.: 01-2119488911-28-XXXX		
	GHS/CLP: Aquatic Chronic 4: H413		
	0,01 - < 0,1 Phenol, dodecyl-, branched		
		EINECS/ELINCS: 310-154-3, EU-INDEX: 604-092-00-9, Reg-No.: 01-2119513207-49-XXXX	
	GHS/CLP: Skin Corr. 1C: H314 - Repr. 1B: H360 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - Eye Da H318, M_acute = 10		
	Comment on component parts		All chemical substances in this material are included on or exempted from listing on the IECSC Inventory. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements and R-phrases: see SECTION 16.
SEC	TION 4: First aid	measures	
4.1	Description of fi	irst aid measures	
	General information		Change soaked clothing.
	General mormatio	011	Change soaked clothing.
	Inhalation		Ensure supply of fresh air.
	Skin contact		In the event of symptoms seek medical treatment. In case of contact with skin wash off immediately with soap and water.
			Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.
4.2			ffects, both acute and delayed
	If swallowed or in the event of vomiting, risk of product entering the lungs.		-
4.3	Indication of an	v immediate med	ical attention and special treatment needed
1.0	indication of an	y miniculate mea	Treat symptomatically.
			Forward this sheet to the doctor.
SEC	TION 5: Fire-fight	ting measures	
5.1	Extinguishing m	nedia	
0.1	• •		
	Suitable extinguis	•	foam, dry powder, water spray jet, carbon dioxide
	Extinguishing me	dia that must not	Full water jet.
	be used		
5.2	Special hazards	arising from the	substance or mixture
			Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx). Hydrogen sulfide ((H2S).

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Version 01 Pag

Page 3 / 11

5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	res
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for containment and cleaning up	
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Avoid formation of aerosols.
		Do not smoke. Fire class (DIN EN 2): B
		Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.
		Use barrier skin cream.
		Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets.
7.2	Conditions for safe storage, including any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with oxidizing agents. Do not store together with food and animal food/diet.
		Keep container tightly closed. Protect from heat/overheating.
7.3	Specific end use(s)	
		See product use, SECTION 1.2

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Version 01

Page 4 / 11

### SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

PNEC

Pher	ol, dodecyl-, branched, CAS: 121158-58-5
Indus	strial, inhalative (mist), Acute - systemic effects: 44,18 mg/m <sup>3</sup> .
Indus	strial, dermal, Long-term - systemic effects: 0,25 mg/kg bw.
Indus	strial, dermal, Acute - systemic effects: 166 mg/kg bw.
gene	ral population, inhalative (mist), Long-term - systemic effects: 0,79 mg/m <sup>3</sup> .
gene	ral population, inhalative (mist), Acute - systemic effects: 13,26 mg/m <sup>3</sup> .
gene	ral population, dermal, Long-term - systemic effects: 0,075 mg/kg bw.
gene	ral population, dermal, Acute - systemic effects: 50 mg/kg bw.
gene	ral population, oral, Long-term - systemic effects: 0,075 mg/kg bw.
Bis(r	onylphenyl)amine, CAS: 36878-20-3
Indus	strial, dermal, Long-term - systemic effects: 5 mg/kg bw/day.
gene	ral population, oral, Long-term - systemic effects: 0,25 mg/kg bw/day.
gene	ral population, dermal, Long-term - systemic effects: 2,5 mg/kg bw/day.
Dest	illates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Indus	strial, dermal, Long-term - systemic effects: 1 mg/kg bw/day.
Indus	strial, inhalative, Long-term - local effects: 5,6 mg/m <sup>3</sup> .
Indus	strial, inhalative, Long-term - systemic effects: 2,7 mg/m <sup>3</sup> .
gene	ral population, oral, Long-term - systemic effects: 0,74 mg/kg bw/day.
Subs	tance
Pher	ol, dodecyl-, branched, CAS: 121158-58-5
oral (	(food), 4 mg/kg.
fresh	water, 0,000074 mg/l.
sedir	nent (freshwater), 0,226 mg/kg.
sedir	nent (seawater), 0,0226 mg/kg.
seaw	vater, 0,0000074 mg/l.
soil,	0,188 mg/kg.
Bis(r	onylphenyl)amine, CAS: 36878-20-3
soil,	263000 mg/kg.
sedir	nent (seawater), 13200 mg/kg.
sedir	nent (freshwater), 132000 mg/kg.
sewa	ige treatment plants (STP), 1 mg/l.
seaw	vater, 0,01 mg/l.
fresh	water, 0,1 mg/l.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Version 01 Pag

Page 5 / 11

8.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
	Eye protection	Safety glasses. (EN 166:2001)
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,11 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
	Skin protection	Light protective clothing.
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
	Thermal hazards	No information available.
	Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	234
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	ca. 0,84 (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	60,55 mm²/s (40°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

### 9.2 Other information

No information available.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Version 01 Page 6 / 11

**SECTION 10: Stability and reactivity** 

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

### 10.4 Conditions to avoid

Strong acids. Strong heating, because the thermal decomposition starts from > 100°C.

### 10.5 Incompatible materials

Oxidizing agent Acids Strong basic compounds

### **10.6 Hazardous decomposition products**

In the case of heating following (decomposition) products may occure: Hydrogen sulfide (H2S).

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Page 7 / 11

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

	Product
	inhalative, Based on the available information, the classification criteria are not fulfilled .:
dermal, Based on the available information, the classification criteria are not fulfilled .:	
	oral, Based on the available information, the classification criteria are not fulfilled .:

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
LD50, dermal, Rabbit: 15000 mg/kg bw.
LD50, oral, Rat: 2100 mg/kg bw.
Bis(nonylphenyl)amine, CAS: 36878-20-3
LD50, dermal, Rat: >2000 mg/kg (OECD 402).
LD50, oral, Rat: >5000 mg/kg (OECD 401).
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit: > 2000 mg/kg.
LD50, oral, Rat: > 5000 mg/kg.
LC50, dermal, Rat: 2,18 mg/l.

medicinal professions, experts for occupational health and safety and toxicologists.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020

# bilstein

Version 01

Page 8 / 11

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
EC50, (72h), Scenedesmus subspicatus: 0,15 mg/l.
EC50, (21d), Daphnia magna: 0,008 mg/l.
EC50, (48h), Daphnia magna: 0,037 mg/l.
EL50, (96h), Pimephales promelas: 40 mg/l.
Bis(nonylphenyl)amine, CAS: 36878-20-3
EC50, (48h), Daphnia magna: >100 mg/l (OECD 202).
LC0, (96h), Brachidanio rerio: 58 mg/l (OECD 203).
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (24h), Daphnia magna: > 10000 mg/l.
NOELR, (14d), Oncorhynchus mykiss: >= 1000 mg/l.
LL50, (96h), Pimephales promelas: >100 mg/l.
NOEL, (72h), Pseudokirchneriella subcapitata: >= 100 mg/l.
NOEL, (21d), Daphnia magna: 10 mg/l.

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	The product is not readily biodegradable.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020

bilstein

Version 01 Page

Page 9 / 11

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities. In according to RoHS!
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

### **SECTION 14: Transport information**

	14.1	UNI	number
--	------	-----	--------

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with	not applicable

IMDG

Air transport in accordance with IATA not applicable

# Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Version 01 Page 10 / 11

14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.
14.7	Transport in bulk according to Ar	nnex II of MARPOL and the IBC Code
	not applicable	
050		
SEC	TION 15: Regulatory information	
15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
	TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
	- Observe employment restrictions for people	no
	- VOC (2010/75/CE)	not applicable
15.2	Chemical safety assessment	not applicable
SEC	TION 16: Other information	
	Hazard statements (SECTION 3)	
		H410 Very toxic to aquatic life with long lasting effects. H400 Very toxic to aquatic life. H360 May damage fertility or the unborn child.

H360 May damage fertility or the unborn child.

H314 Causes severe skin burns and eye damage.

H413 May cause long lasting harmful effects to aquatic life.

H304 May be fatal if swallowed and enters airways.

### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.09.2020, Revision 03.09.2020



Version 01 Page 11 / 11

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedureAquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)Modified positionnone

Copyright: Chemiebüro®