# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 1 / 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

febi 109660 Universal sealant Article number: 109660

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0

Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictogramsnoneSignal wordnoneHazard statementsnone

**Special labelling** EUH210 Safety data sheet available on request.

2.3 Other hazards

Environmental hazards The mixture contains the following substances which fulfill the PBT and/or vPvB criteria

according to REACH criteria, Annex XIII: CAS 541-02-6/ CAS 540-97-6

Other hazards Further hazards were not determined with the current level of knowledge.

# **ebi**

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 2 / 11

## **SECTION 3: Composition / Information on ingredients**

#### Product-type:

3.2 The product is a mixture.

Range [%]	Substance
0,1 - < 1 *)	Distillates (petroleum), hydrotreated middle (containing < 3% DMSO-extract)
	CAS: 64742-46-7, EINECS/ELINCS: 265-148-2, EU-INDEX: 649-221-00-X, Reg-No.: 01-2119489867-12-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
0,1 - < 1	Acetic acid
	CAS: 64-19-7, EINECS/ELINCS: 200-580-7, EU-INDEX: 607-002-00-6, Reg-No.: 01-2119475328-30-XXXX
	GHS/CLP: Flam. Liq. 3: H226 - Skin Corr. 1A: H314
0,1 - < 1	Decamethylcyclopentasiloxane
	CAS: 541-02-6, EINECS/ELINCS: 208-764-9, Reg-No.: 01-2119511367-43
0,1 - < 1	Dodecamethylcyclohexasiloxane
	CAS: 540-97-6, EINECS/ELINCS: 208-762-8, Reg-No.: 01-2119517435-42-XXXX

Comment on component parts \*) NOTE N

SVHC (Candidate List of Substances of Very High Concern for authorisation) ≥ 0.1%

CAS 541-02-6 - Decamethylcyclopentasiloxane CAS 540-97-6 - Dodecamethylcyclohexasiloxane For full text of H-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** Take up product with suitable papertissues before.

When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

Rinse mouth.

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

# **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

**Suitable extinguishing media** Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 3 / 11

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Do not use metal containers.

Protect from heat/overheating.

Keep in a cool place. Store in a dry place.

Recommended storage temperature: +5°C - +25°C

# 7.3 Specific end use(s)

This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 4 / 11

## SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Acetic acid

CAS: 64-19-7, EINECS/ELINCS: 200-580-7, EU-INDEX: 607-002-00-6, Reg-No.: 01-2119475328-30-XXXX

Long-term exposure: 10 ppm, 25 mg/m<sup>3</sup>

Short-term exposure (15-minute): 15 ppm, 37 mg/m<sup>3</sup>

Decamethylcyclopentasiloxane

CAS: 541-02-6, EINECS/ELINCS: 208-764-9, Reg-No.: 01-2119511367-43

Long-term exposure: 10 ppm, TWA - DCC OEL

# Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES

Acetic acid

Substance

CAS: 64-19-7, EINECS/ELINCS: 200-580-7, EU-INDEX: 607-002-00-6, Reg-No.: 01-2119475328-30-XXXX

Eight hours: 10 ppm, 25 mg/m<sup>3</sup>

Short-term (15-minute): 20 ppm, 50 mg/m<sup>3</sup>

#### DNEL

Decamethylcyclopentasiloxane, CAS: 541-02-6
Industrial, inhalative, Acute - systemic effects: 97,3 mg/m³.
Industrial, inhalative, Acute - local effects: 24,2 mg/m³.
Industrial, inhalative, Long-term - local effects: 24,2 mg/m³.
Industrial, inhalative, Long-term - systemic effects: 97,3 mg/m³.
general population, inhalative, Long-term - local effects: 4,3 mg/m³.
general population, inhalative, Acute - systemic effects: 17,3 mg/m³.
general population, inhalative, Long-term - systemic effects: 17,3 mg/m³.
general population, oral, Acute - systemic effects: 5 mg/kg bw/d.
general population, oral, Long-term - systemic effects: 5 mg/kg bw/d.
general population, inhalative, Acute - local effects: 4,3 mg/m³.
Dodecamethylcyclohexasiloxane, CAS: 540-97-6
Industrial, inhalative, Long-term - systemic effects: 11 mg/m³.
Industrial, inhalative, Long-term - local effects: 1,22 mg/m³.
Industrial, inhalative, Acute - local effects: 6,1 mg/m³.

# Acetic acid, CAS: 64-19-7 Industrial, inhalative, Long

Industrial, inhalative, Long-term - local effects: 25 mg/m³.

Industrial, inhalative, Acute - local effects: 25 mg/m<sup>3</sup>.

general population, inhalative, Long-term - local effects: 25 mg/m<sup>3</sup>.

general population, oral, Acute - local effects: 1,7 mg/kg bw/day.

general population, inhalative, Long-term - systemic effects: 2,7 mg/m³.

general population, inhalative, Long-term - local effects: 0,3 mg/m³.

general population, inhalative, Acute - local effects: 1,5 mg/m³.

general population, inhalative, Acute - local effects: 25 mg/m³.

### **PNEC**

Substance

Decamethylcyclopentasiloxane, CAS: 541-02-6



## Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 5 / 11

sediment (seawater), 0,239 mg/kg dw.		
freshwater, 0,0012 mg/l.		
sediment (freshwater), 2,39 mg/kg dw.		
sewage treatment plants (STP), > 10 mg/l.		
soil, 3,34 mg/kg dw.		
seawater, 0,00012 mg/l.		
Dodecamethylcyclohexasiloxane, CAS: 540-97-6		
sewage treatment plants (STP), 1 mg/L.		
sediment (freshwater), 13 mg/kg sediment dw.		
oral (food), 66,7 mg/kg.		
sediment (seawater), 1,3 mg/kg sediment dw.		
soil, 3,77 mg/kg soil dw.		
Acetic acid, CAS: 64-19-7		
freshwater, 3,058 mg/l.		
sewage treatment plants (STP), 85 mg/l.		
soil, 0,478 mg/kg.		
sediment (seawater), 1,136 mg/kg.		
sediment (freshwater), 11,36 mg/kg.		
seawater, 0,3058 mg/l.		

## 8.2 Exposure controls

Additional advice on system design 

Ensure adequate ventilation on workstation.

**Eye protection** safety glasses (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Viton, >480 min (EN 374-1/-2/-3).

**Skin protection** light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

**Respiratory protection** No dangerous reactions known if used as directed.

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

 $\label{lem:comply} \mbox{Comply with applicable environmental regulations limiting discharge to air, water and soil.}$ 

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 6 / 11

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**Form** pasty

thixotrope

Color black Odor acetic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicable

Boiling point [°C] No information available.

Flash point [°C] No information available.

Flammability (solid, gas) [°C] 125°C

Lower explosion limit not applicable
Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/ml] 1,01 - 1,04 (20 °C / 68,0 °F)

Bulk density [kg/m³]not applicableSolubility in watervirtually insoluble

Partition coefficient [n-octanol/water] No information available.

Viscosity > 20,5 mm²/S (40°C)

Relative vapour density determined No information available.

in air

Evaporation speed No information available.

Melting point [°C] No information available.

Autoignition temperature [°C] No information available.

Decomposition temperature [°C] No information available.

9.2 Other information

none

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

Reactions with reducing agents.

## 10.4 Conditions to avoid

Strong heating.

Sensitive to moisture.

# 10.5 Incompatible materials

See SECTION 10.3.

# **ebi**

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 7 / 11

#### 10.6 Hazardous decomposition products

Acetic acid.

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

**Acute toxicity** 

Substance
Decamethylcyclopentasiloxane, CAS: 541-02-6
LD50, oral, Rat: > 24 134 mg/kg bw.
LD50, inhalativ (mist), Rat: 8,67 mg/l/4h.
Acetic acid, CAS: 64-19-7
LD50, dermal, Rabbit: 1060 mg/kg.
LD50, oral, Rat: 3310 mg/kg.
LC50, inhalative, Rat: 40 mg/l (4 h).
Distillates (petroleum), hydrotreated middle (containing < 3% DMSO-extract), CAS: 64742-46-7
LD50, dermal, > 2000 mg/kg (ECHA).
LD50, oral, > 5000 mg/kg (ECHA).
LC50, inhalative, 4,6 mg/l (ECHA).

Serious eye damage/irritation

Slight irritant effect.

Skin corrosion/irritation
Respiratory or skin sensitisation
Specific target organ toxicity —

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Mutagenicity

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity
Carcinogenicity
Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

**General remarks** 

Toxicological data of complete product are not available.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Substance	
Acetic acid, CAS: 64-19-7	
LC50, (96h), Lepomis macrochirus: 75 mg/l.	
LC50, (96h), Pimephales promelas: 88 mg/l.	
EC50, (24h), Daphnia magna: 95 mg/l.	
EC10, Pseudomonas putida: 1000 mg/l (0,5 h).	
Distillates (petroleum), hydrotreated middle (containing < 3% DMSO-extract), CAS: 64742-46-7	
EC50, Algae: 22 mg/l (ECHA).	
EC50, (48h), Daphnia magna: 68 mg/l (ECHA).	

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01

Page 8 / 11

#### 12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant not determined
Biological degradability not determined

#### 12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Do not discharge product unmonitored into the environment.

The product is insoluble in water.

#### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended)

080410

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Contaminated packing should be disposed of as product waste.

Waste no. (recommended) 150102

150104

## **SECTION 14: Transport information**

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Page 9 / 11 Version 01

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID

no

Inland navigation (ADN)

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

# Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019



Page 10 / 11 Version 01

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

- VOC (2010/75/CE) not determined

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### 16.1 Hazard statements (SECTION 03)

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H226 Flammable liquid and vapour.

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# ebi bilstein

# Ferdinand Bilstein GmbH + Co. KG

Date printed 22.10.2019, Revision 10.10.2019

Version 01 Page 11 / 11

## 16.3 Other information

Customs Tariff not determined

Classification procedure

Modified position none