

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

antifreeze

Article number: 22274, 22272, 12710, 01381, 33830, 71381

UFI: 2KT3-40Y8-T00H-C10X

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
 Wilhelmstr. 47
 58256 Ennepetal / GERMANY
 Phone +49 2333 911-0
 Fax +49 2333 911-444
 Homepage www.febi.com
 E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

Company +49 2333 911-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H302 Harmful if swallowed.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

WARNING

Contains:

Ethylene glycol

Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe vapours.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.

P314 Get medical advice / attention if you feel unwell.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention.

Ferdinand Bilstein GmbH + Co. KG

Date printed 02.03.2023, Revision 02.03.2023

Version 12.0. Supersedes version: 11.0

Page 2 / 14

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation.
Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
Other hazards	none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
60 - < 100	Ethylene glycol CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
1 - < 2.5	potassium 2-ethylhexanoate CAS: 3164-85-0, EINECS/ELINCS: 221-625-7, Reg-No.: 01-2119980714-29-XXXX GHS/CLP: Repr. 2: H361d - Eye Dam. 1: H318 - Skin Irrit. 2: H315
0.1 - < 0.3	Methyl-1H-benzotriazole CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX GHS/CLP: Acute Tox. 4: H302 - Aquatic Chronic 2: H411 - Repr. 2: H361d

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
If swallowed or in the event of vomiting, risk of product entering the lungs.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Take off contaminated clothing and wash before reuse.
Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash hands before breaks and after work.
Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Do not store together with food and animal food/diet.
Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2



SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Long-term exposure: 20 ppm, 52 mg/m ³ , Vapour, particulate: 10 mg/m ³
Short-term exposure (15-minute): 40 ppm, 104 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Eight hours: 20 ppm, 52 mg/m ³ , H
Short-term (15-minute): 40 ppm, 104 mg/m ³

DNEL

Substance
Ethylene glycol, CAS: 107-21-1
Industrial, dermal, Long-term - systemic effects, 106 mg/m ³
Industrial, inhalative, Long-term - local effects, 35 mg/m ³
general population, dermal, Long-term - systemic effects, 53 mg/m ³
general population, inhalative, Long-term - local effects, 7 mg/m ³
potassium 2-ethylhexanoate, CAS: 3164-85-0
Industrial, dermal, Long-term - systemic effects, 5.95 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 32 mg/m ³
general population, oral, Long-term - systemic effects, 2.5 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 2.98 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 8 mg/m ³
Methyl-1H-benzotriazole, CAS: 29385-43-1
Industrial, dermal, Long-term - systemic effects, 300 µg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 21.2 mg/m ³
general population, oral, Long-term - systemic effects, 10 µg/kg bw/day
general population, dermal, Long-term - systemic effects, 10 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 350 µg/m ³

PNEC

Substance
Ethylene glycol, CAS: 107-21-1
sewage treatment plants (STP), 199.5 mg/l (AF=10)
soil, 1.53 mg/kg
sediment (freshwater), 37 mg/kg
seawater, 1 mg/L
freshwater, 10 mg/L
sediment (seawater), 3.7 mg/kg
potassium 2-ethylhexanoate, CAS: 3164-85-0
sediment (freshwater), 6.37 mg/kg



freshwater, 360 µg/L
sewage treatment plants (STP), 71.7 mg/L
sediment (seawater), 637 µg/kg
soil, 1.06 mg/kg
seawater, 36 µg/L
Methyl-1H-benzotriazole, CAS: 29385-43-1
soil, 18.7 µg/kg soil dw
freshwater, 8 µg/L
seawater, 20 µg/L
sewage treatment plants (STP), 39.4 mg/L
sediment (freshwater), 117 µg/kg sediment dw
sediment (seawater), 292 µg/kg sediment dw

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	red
Odor	characteristic
Odour threshold	No information available.
pH-value	7.5 - 8.5 (50%)
pH-value [1%]	No information available.
Boiling point [°C]	120
Flash point [°C]	> 110 (DIN 51758)
Flammability (solid, gas) [°C]	> 400 (DIN 51794)
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	<0.01 (20°C)
Density [g/cm³]	1.123 (DIN 51757)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalis and oxidizing agents.

10.4 Conditions to avoid

Strong heating.



10.5 Incompatible materials

- Oxidizing agent
- Acids
- Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, 534.0 mg/kg bw
Substance
Ethylene glycol, CAS: 107-21-1
LD50, oral, Rat, 7712 mg/kg bw
ATE, oral, 500 mg/kg (Acute Tox. 4)
potassium 2-ethylhexanoate, CAS: 3164-85-0
LD50, oral, Rat, 2043 mg/kg bw
Methyl-1H-benzotriazole, CAS: 29385-43-1
LD50, oral, Rat, 720 mg/kg
NOAEL, oral, Rat, 150 mg/kg bw/day

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Ethylene glycol, CAS: 107-21-1
LD50, dermal, mouse, > 3500 mg/kg bw
potassium 2-ethylhexanoate, CAS: 3164-85-0
LD50, dermal, Rabbit, 2000 mg/kg bw
Methyl-1H-benzotriazole, CAS: 29385-43-1
LD50, dermal, Rabbit, 2000 mg/kg bw

Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Ethylene glycol, CAS: 107-21-1
LC50, inhalative, Rat, > 2.5 mg/L air, 6h
potassium 2-ethylhexanoate, CAS: 3164-85-0
LC50, inhalative, Rat, 110 mg/m ³ (8 h)

Serious eye damage/irritation

Toxicological data of complete product are not available.
Irritant
Calculation method

Substance
Ethylene glycol, CAS: 107-21-1
Eye, Rabbit, In vivo study, non-irritating
potassium 2-ethylhexanoate, CAS: 3164-85-0
Eye, in vitro / ex vivo, OECD 437, corrosive

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.



Ferdinand Bilstein GmbH + Co. KG

Date printed 02.03.2023, Revision 02.03.2023

Version 12.0. Supersedes version: 11.0

Page 9 / 14

Substance
Ethylene glycol, CAS: 107-21-1
dermal, Rabbit, In vivo study, non-irritating
potassium 2-ethylhexanoate, CAS: 3164-85-0
Rabbit, in vivo, OECD 404, irritant

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
dermal, Guinea pig, In vivo study, non-sensitizing

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Toxicological data of complete product are not available.
May cause damage to organs through prolonged or repeated exposure.
Calculation method

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, dermal, Dog, 2200 mg/kg bw/day, adverse effect observed
NOEL, oral, Rat, 150 mg/kg bw/day, OECD 408, adverse effect observed

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
in vitro, OECD 471, no adverse effect observed

Reproduction toxicity Toxicological data of complete product are not available.
Suspected of damaging the unborn child.
Calculation method

- Fertility

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, oral, Rat, > 1000 mg/kg bw/day, no adverse effect observed
potassium 2-ethylhexanoate, CAS: 3164-85-0
NOAEL, Rat, 300 mg/kg bw/day (P0)

- Development

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, oral, Rat, 500 mg/kg bw/day, no adverse effect observed
potassium 2-ethylhexanoate, CAS: 3164-85-0
NOAEL, Rat, 300 mg/kg bw/day (P0)

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, no adverse effect observed

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks



Ferdinand Bilstein GmbH + Co. KG

Date printed 02.03.2023, Revision 02.03.2023

Version 12.0. Supersedes version: 11.0

Page 10 / 14

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.
Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Ethylene glycol, CAS: 107-21-1
LC50, (28d), fish, 1.5 g/L
LC50, (3d), fish, 72.86 g/L
EC50, (4d), Invertebrates, 3.536 - 13 g/L
EC50, (21d), Invertebrates, 33.911 g/L
EC50, (48h), Invertebrates, 100 mg/L
potassium 2-ethylhexanoate, CAS: 3164-85-0
LC50, (96h), fish, 100 mg/L
EC50, (6d), Algae, 49.3 mg/L
EC50, (48h), Crustacea, 85.4 mg/L
Methyl-1H-benzotriazole, CAS: 29385-43-1
LC50, (96h), fish, 55 - 180 mg/L
EC50, (72h), Algae, 29 - 75 mg/L
EC50, (48h), Invertebrates, 8.58 - 15.8 mg/L
NOEC, (21d), Invertebrates, 18.4 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant not determined

Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.



12.7 Other adverse effects

Ecological data of complete product are not available.
 Do not discharge product unmonitored into the environment or into the drainage.
 The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
 Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 160114*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
 Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances
 150102
 150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"



Ferdinand Bilstein GmbH + Co. KG

Date printed 02.03.2023, Revision 02.03.2023

Version 12.0. Supersedes version: 11.0

Page 12 / 14

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.
 H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 IVIS = In vitro irritation score
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)
 STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method)
 Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

Safety Data Sheet (UK REACH) (GB)

antifreeze Article number 22274, 22272, 12710, 01381, 33830, 71381



Ferdinand Bilstein GmbH + Co. KG

Date printed 02.03.2023, Revision 02.03.2023

Version 12.0. Supersedes version: 11.0

Page 14 / 14