## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 1 / 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

febi 38200 antifreeze G 13

Article number: 38202, 38201, 38200

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com

E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

Repr. 2: H361d Suspected of damaging the unborn child.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms

Signal word WARNING

Contains: Ethylene glycol

Sodium 2-ethylhexanoate

Hazard statements H373 May cause damage to organs through prolonged or repeated exposure.

H361d Suspected of damaging the unborn child.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P260 Do not breathe vapours.

P280 Wear protective gloves / protective clothing / eye protection / face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

#### 2.3 Other hazards

**Human health dangers** If swallowed or in the event of vomiting, risk of product entering the lungs.

Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards**Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 2 / 10

#### **SECTION 3: Composition / Information on ingredients**

#### Product-type:

3.2 The product is a mixture.

Range [%]	Substance
30 - < 80	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
> 10	Glycerol
	CAS: 56-81-5, EINECS/ELINCS: 200-289-5
3 - < 5	Sodium 2-ethylhexanoate
	CAS: 19766-89-3, EINECS/ELINCS: 243-283-8
	GHS/CLP: Repr. 2: H361d

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 3 / 10

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

The product is combustible.

Remove soiled or soaked clothing immediately.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 4 / 10

#### **SECTION 8: Exposure controls / personal protection**

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1

Long-term exposure: 20 ppm, 52 mg/m³, Vapour, particulate: 10 mg/m³

Short-term exposure (15-minute): 40 ppm, 104 mg/m<sup>3</sup>

Glycerol

CAS: 56-81-5, EINECS/ELINCS: 200-289-5

Long-term exposure: 10 mg/m<sup>3</sup>

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1

Eight hours: 20 ppm, 52 mg/m3, H

Short-term (15-minute): 40 ppm, 104 mg/m<sup>3</sup>

#### 8.2 Exposure controls

Additional advice on system design 

Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

**Hand protection** Nitrile rubber, >480 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

information.

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Do not inhale vapours.

**Respiratory protection** Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 5 / 10

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form liquid
Color violet
Odor mild

Odour threshold No information available.

pH-value 8,35

pH-value [1%] No information available.

**Boiling point [°C]** > 170 (352°F)

Flash point [°C]

Flammability (solid, gas) [°C] No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa]No information available.Density [g/ml]1,13 (20 °C / 68,0 °F)Bulk density [kg/m³]not applicableSolubility in watermiscible

Partition coefficient [n-octanol/water] No information available.

Viscosity No information available.

Relative vapour density determined

in air

Evaporation speed No information available.

Melting point [°C] No information available.

Autoignition temperature [°C] not applicable

**Decomposition temperature [°C]** No information available.

#### 9.2 Other information

none

> 1

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

The product is stable under standard conditions.

#### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

#### 10.4 Conditions to avoid

See SECTION 7.2.

#### 10.5 Incompatible materials

not determined

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 6 / 10

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Product inhalative, Based on the available information, the classification criteria are not fulfilled .: ATE-mix, dermal, mouse: > 3500 mg/kg bw.

ATE-mix, oral, mouse: 2016 mg/kg bw. Substance Sodium 2-ethylhexanoate, CAS: 19766-89-3 LD50, dermal, Rat: >2000 mg/kg bw (OECD 402). LD50, oral, Rat: 2043 mg/kg bw (OECD 401). LC0, inhalative, Rat: 0,11 mg/l air (OECD 403). Glycerol, CAS: 56-81-5 LD50, oral, Rat: 12 600 mg/kg. Ethylene glycol, CAS: 107-21-1 LD50, dermal, mouse: > 3500 mg/kg Lit.. LD50, oral, Rat: 4700 mg/kg. LC50, inhalative, Rat: > 200 mg/m3 4h. LDLo, oral, Human: ca. 1600 mg/kg Lit.

Serious eye damage/irritation Skin corrosion/irritation Respiratory or skin sensitisation

Specific target organ toxicity single exposure

Specific target organ toxicity repeated exposure

Mutagenicity

Reproduction toxicity

Carcinogenicity Aspiration hazard **General remarks** 

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

May cause damage to organs through prolonged or repeated exposure.

Calculation method

Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

Suspected of damaging the unborn child.

Calculation method

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 7 / 10

#### **SECTION 12: Ecological information**

Product

#### 12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled.:	
Substance	
Sodium 2-ethylhexanoate, CAS: 19766-89-3	
LC50, (96h), Oryzias latipes: >100 mg/l (OECD 203).	
EC50, (72h), Desmodesmus subspicatus: 49,3 mg/l.	
NOEC, (21d), Daphnia magna: 25 mg/l (OECD 211).	
EC0, (48h), Daphnia magna: 62,5 mg/l (Directive 79/831/EEC, Annex V, Part C).	
Glycerol, CAS: 56-81-5	
LC50, (96h), fish: > 1000 mg/l.	
EC50, (48h), Algae: > 2900 mg/l.	
EC50, (72h), Bacteria: > 1000 mg/l.	
Ethylene glycol, CAS: 107-21-1	

#### 12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined Biological degradability not determined

LC50, (96h), fish: 41000 mg/l.

EC50, (48h), Daphnia magna: 34250 mg/l.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 8 / 10

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Dispose of as hazardous waste.

Waste no. (recommended) 160114\*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

150102 Waste no. (recommended)

150104 150110\*

#### **SECTION 14: Transport information**

#### 14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 9 / 10

#### 14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- VOC (2010/75/CE) 79,99 %

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

#### 16.1 Hazard statements (SECTION 03)

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.

## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06

Page 10 / 10

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau

EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Classification procedure STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

(Calculation method)

Repr. 2: H361d Suspected of damaging the unborn child. (Calculation method)

Modified position none