

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.10.2020, Revision 21.10.2020

Version 01 Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1	Product identifier		
		febi 45692 Multipurpose Grease for Compressed Air Brake Systems Article number: 45692, 38139, 44626, 38129	
1.2	Relevant identified uses of the su	ibstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Grease	
1 2 2	Uses advised against		
		None known.	
1.3	Details of the supplier of the safe		
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance of	r mixture [REGULATION (EC) No 1272/2008] No classification.	
~ ~			
2.2	Label elements	The product does not require a hereral warrier label in constdence with CUS/CLD directives	
	Hazard pictograms	The product does not require a hazard warning label in accordance with GHS/CLP-directives. none	
	Signal word	none	
	Hazard statements	none	
	Precautionary statements	none	
2.3	Other hazards		
2.3		none	
	Physics shamiaal bazarda	Combustible.	
	Physico-chemical hazards Environmental hazards	Does not contain any PBT or vPvB substances.	
	Other hazards	Further hazards were not determined with the current level of knowledge.	
000		-	
SEC	<b>FION 3: Composition / Information</b>	on ingredients	
3.1	Substances not applicable		
3.2	Mixtures The product is a mixture.		

No dangerous components. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.



Page 2 / 8

Version 01

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.10.2020, Revision 21.10.2020

### **SECTION 4: First aid measures**

4.1	Description of first aid measures			
	General information	Change soaked clothing.		
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.		
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.		
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
	Ingestion	Seek medical advice immediately. Do not induce vomiting.		
4.2	Most important symptoms and eff	Most important symptoms and effects, both acute and delayed		
		Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea. Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection.		
4.3	Indication of any immediate medie	cal attention and special treatment needed		
		Treat symptomatically. Forward this sheet to the doctor. High pressure injection injuries require prompt surgical inter-vention and possibly steroid therapy, to minimise tissue dam-age and loss of function. Because entry wounds are small and do not reflect the seri-ousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of for-eign material should be performed under general anaesthet-ics, and wide exploration is essential.		
SEC	TION 5: Fire-fighting measures			
5.1	Extinguishing media			
	Suitable extinguishing media	Carbon dioxide. Water spray jet. Dry powder. Foam.		
	Extinguishing media that must not be used	Full water jet.		
5.2	Special hazards arising from the s	substance or mixture		
		Risk of formation of toxic pyrolysis products.		
5.3	Advice for firefighters			
		Use self-contained breathing apparatus.		
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.		
SEC	TION 6: Accidental release measur	es		
6.1	6.1 Personal precautions, protective equipment and emergency procedures			
	-	High risk of slipping due to leakage/spillage of product.		

Forms slippery surfaces with water.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Prevent spread over a wide area (e.g. by containment or oil barriers).



## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.10.2020, Revision 21.10.2020

Version 01

Page 3/8

Date	printed 21.10.2020, Revision 21.10.2020		Version 01	Page 3 / 8
6.3	Methods and material for contain	<b>ment and cleaning up</b> Take up mechanically. Dispose of absorbed material in accordance within the regulation	ons.	
6.4	Reference to other sections	See SECTION 8+13		
SEC	TION 7: Handling and storage			
7.1	Precautions for safe handling	Use only in well-ventilated areas. No special measures necessary if used correctly. The product is combustible. Wash hands before breaks and after work. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser Do not eat, drink or smoke when using this product.	pockets.	
7.2	Conditions for safe storage, inclu	ding any incompatibilities Keep only in original container. Do not store together with oxidizing agents. Keep container tightly closed. Keep away from frost. Keep in a cool place. Store in a dry place.		
7.3	Specific end use(s)	See product use, SECTION 1.2		
SEC	TION 8: Exposure controls / perso	nal protection		
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB)	not applicable		
8.2	Exposure controls Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements mu requirements of DIN EN 482. For example, recommendations a hazardous substances.		

Safety glasses. (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm Nitrile rubber, >480 min (EN 374-1/-2/-3). not applicable Skin protection Other Avoid contact with eyes and skin.

Eye protection

**Respiratory protection** Not required under normal conditions. Thermal hazards not applicable Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soil. environmental exposition

If there is a risk of splashing:



Date printed 21.10.2020, Revision 21.10.2020

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

internation on bable physical and	
Form	liquid
Color	light blue
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	313
Flash point [°C]	> 113
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0.99 - 0,995
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapour density determined in air	No information available.
Evaporation speed	not applicable
Melting point [°C]	No information available.
Autoignition temperature [°C]	449
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

#### 10.4 Conditions to avoid

Strong heating. Sunlight

#### 10.5 Incompatible materials

Strong oxidizing agent.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



Version 01 Page 4 / 8

# Ferdinand Bilstein GmbH + Co. KG

Date printed 21.10.2020, Revision 21.10.2020

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

Product	
inhalative, Based on the available information, the classification criteria are not fulfilled .:	
dermal, Based on the available information, the classification criteria are not fulfilled.:	
oral, Based on the available information, the classification criteria are not fulfilled .:	

Serious eye damage/irritation	Slight irritant effect. Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Slight irritant effect. Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	No mutagenous properties. Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	No cancerogenic properties known Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. Remarks: Used grease may contain harmful impurities that have accumulated during use. The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal. ALL used grease should be handled with caution and skin contact avoided as far as possible. Remarks: High pressure injection of product into the skin may lead to local necrosis if the prod-uct is not surgically removed.

### **SECTION 12: Ecological information**

## 12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.:

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	The product is not readily biodegradable.

#### 12.3 Bioaccumulative potential

Contains components with the potential to bioaccumulate.

#### 12.4 Mobility in soil

Product is immobilized by adsorption to soil particles.



## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.10.2020, Revision 21.10.2020

Version 01 Page 6 / 8

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

The product is insoluble in water. Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		Disposal in an incineration plant in accordance with the regulations of the local authorities. In according to RoHS!
	Waste no. (recommended)	120112* spent waxes and fats
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Uncontaminated packaging may be reused.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances 150102
SEC	TION 14: Transport information	
14.1	UN number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable

Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

#### 14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"



## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.10.2020, Revision 21.10.2020

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
	TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
	- Observe employment restrictions for people	not applicable
	- VOC (2010/75/CE)	0%
15.2	Chemical safety assessment	

No information available.



Page 8 / 8

Version 01

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.10.2020, Revision 21.10.2020

### **SECTION 16: Other information**

## 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

#### 16.2 Other information

Classification procedure

Modified position

none