Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

antifreeze

Article number: 88541, 02374 UFI: MCR3-V232-P00K-VKCK

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H302 Harmful if swallowed.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms





Signal word WARNING

Contains: Ethylene glycol

Hazard statements H302 Harmful if swallowed

 ${
m H373~May}$ cause damage to organs through prolonged or repeated exposure.

Precautionary statementsP101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P260 Do not breathe vapours.

P270 Do no eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.

P314 Get medical advice / attention if you feel unwell.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 2 / 13

Other hazards 2.3

Human health dangers If swallowed or in the event of vomiting, risk of product entering the lungs.

Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
60 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
1 - < 2,5	Potassium isononanoate
	CAS: 84501-71-3, EINECS/ELINCS: 282-991-1
	GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319
0,1 - < 0,3	Methyl-1H-benzotriazole
	CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Aquatic Chronic 2: H411

For full text of H-statements and R-phrases: see SECTION 16. Comment on component parts

SECTION 4: First aid measures

Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

In case of contact with skin wash off immediately with soap and water. Skin contact

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Most important symptoms and effects, both acute and delayed

Headache Drowsiness

Indication of any immediate medical attention and special treatment needed 4.3

Treat symptomatically.

Forward this sheet to your doctor.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 3 / 13

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Fire extinguishing method of surrounding areas must be considered.

Carbon dioxide. Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water. Ensure adequate ventilation.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

The product is combustible.

Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0

Page 4 / 13

7.3 Specific end use(s)

See product use, SECTION 1.2

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 5 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX

Long-term exposure: 20 ppm, 52 mg/m³, Vapour, particulate: 10 mg/m³

Short-term exposure (15-minute): 40 ppm, 104 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX

Eight hours: 20 ppm, 52 mg/m3, H

Short-term (15-minute): 40 ppm, 104 mg/m³

DNEL

_	bstand	
C: 1	hetan	20
- Ou	ıbstarı	ᅜ

Ethylene glycol, CAS: 107-21-1

Industrial, dermal, Long-term - systemic effects, 106 mg/m³

Industrial, inhalative, Long-term - local effects, 35 mg/m³

general population, inhalative, Long-term - local effects, 7 mg/m³

general population, dermal, Long-term - systemic effects, 53 mg/m³

Methyl-1H-benzotriazole, CAS: 29385-43-1

Industrial, inhalative, Long-term - systemic effects, 21.2 mg/m³

Industrial, dermal, Long-term - systemic effects, 300 μg/kg bw/day

general population, inhalative, Long-term - systemic effects, 350 μg/m³

general population, dermal, Long-term - systemic effects, 10 µg/kg bw/day

general population, oral, Long-term - systemic effects, 10 μg/kg bw/day

PNEC

Substance

Ethylene glycol, CAS: 107-21-1

sediment (seawater), 3,7 mg/kg

sewage treatment plants (STP), 199,5 mg/l (AF=10)

soil, 1,53 mg/kg

sediment (freshwater), 37 mg/kg

seawater, 1 mg/L

freshwater, 10 mg/L

Methyl-1H-benzotriazole, CAS: 29385-43-1

freshwater, 8 µg/L

seawater, 20 µg/L

sewage treatment plants (STP), 39.4 mg/L

sediment (freshwater), 117 µg/kg sediment dw

sediment (seawater), 292 µg/kg sediment dw

soil, 18.7 µg/kg soil dw

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 6 / 13

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Do not inhale vapours.

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColoryellowOdorfaintly

Odour threshold No information available.

pH-value 7,8 - 8,5 (50%)

pH-value [1%] No information available.Boiling point or initial boiling point No information available.

and boiling range [°C]

Upper explosion limit

Flash point [°C] >100 (DIN 51758)

Flammability not applicable

Lower explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] <0,01 (20°C)

Density [g/cm³] ca. 1,12 (DIN 51757) (20 °C / 68,0 °F)

No information available.

Relative density not determined
Bulk density [kg/m³] not applicable
Solubility in water miscible

Solubility other solvents

No information available.

Partition coefficient n-octanol/water

No information available.

(log value)

Kinematic viscosity

Relative vapour density

Melting point [°C]

No information available.

No information available.

Auto-ignition temperature [°C] >400

Decomposition temperature [°C] No information available.

Particle characteristics No information available.



Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024

Version 14.0. Supersedes version: 13.0 Page 7 / 13

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3. Oxidizing agent Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 8 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on the available information, the classification criteria are fulfilled.

Product

ATE-mix, oral, 544,3 mg/kg bw

Substance

Ethylene glycol, CAS: 107-21-1

LD50, oral, Rat, 7712 mg/kg bw

ATE, oral, 500 mg/kg (Acute Tox. 4)

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, oral, Rat, 720 mg/kg

NOAEL, oral, Rat, 150 mg/kg bw/day

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, dermal, >2000 mg/kg bw

Substance

Ethylene glycol, CAS: 107-21-1

LD50, dermal, mouse, > 3500 mg/kg bw

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, dermal, Rabbit, 2000 mg/kg bw

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, inhalation (vapour), >20 mg/L

Substance

Ethylene glycol, CAS: 107-21-1

LC50, inhalative, Rat, > 2,5 mg/L air, 6h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

Eye, Rabbit, In vivo study, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

dermal, Rabbit, In vivo study, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

dermal, Guinea pig, In vivo study, non-sensitizing

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 9 / 13

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, dermal, Dog, 2200 mg/kg bw/day, adverse effect observed

NOEL, oral, Rat, 150 mg/kg bw/day, OECD 408, adverse effect observed

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

in vitro, OECD 471, no adverse effect observed

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, oral, Rat, > 1000 mg/kg bw/day, no adverse effect observed

- Development

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, oral, Rat, 500 mg/kg bw/day, no adverse effect observed

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, no adverse effect observed

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information

none



Date printed 29.02.2024, Revision 29.02.2024

Version 14.0. Supersedes version: 13.0 Page 10 / 13

SECTION 12: Ecological information

12.1 Toxicity

Substance	
Ethylene glycol, CAS: 107-21-1	
LC50, (3d), fish, 72.86 g/L	
LC50, (28d), fish, 1,5 g/L	
EC50, (48h), Invertebrates, 100 mg/L	
EC50, (21d), Invertebrates, 33,911 g/L	
EC50, (4d), Invertebrates, 3,536 - 13 g/L	
Methyl-1H-benzotriazole, CAS: 29385-43-1	
LC50, (96h), fish, 55 - 180 mg/L	
EC50, (48h), Invertebrates, 8.58 - 15.8 mg/L	
EC50, (72h), Algae, 29 - 75 mg/L	
NOEC, (21d), Invertebrates, 18.4 mg/L	

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant not determined Biological degradability Biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage. Ecological data of complete product are not available.

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 11 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 160114*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

150102 150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 12 / 13

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN) no

Marine transport in accordance with r

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances \geq 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for young people.

- VOC (2010/75/CE) 0%

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024



Version 14.0. Supersedes version: 13.0 Page 13 / 13

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

Modified position 1.3, 3.2, 8.1, 8.2, 9.1, 11.1, 11.2, 12.6, 12.7, 15.1, 16.2, 16.3