

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

140.2530- Windshield Repair kit

shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains Isobornyl acrylate)

Other means of identification: No data available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: No data available

Uses advised against: No data available

1.3. Details of the supplier of the safety data sheet

KS TOOLS Werkzeuge-Maschinen GmbH

Seligenstädter Grund 10 - 12

63150 Heusenstamm

Tel.: 06104 4974-0

Fax: 06104 4974-11

Mail: info@kstoools.de

1.4. Notrufnummer

Advice centre for poisonings, Mainz - Tel.: 06131 192 40

Spill information: +886-2-85121361(24hrs)

Health information: +886-2-85121507(24hrs)

ABSCHNITT 2: Hazards identification

2.1. Classification of the substance or mixture

CLP Classification

Classification	Category	Exposure Route
Eye irritation	2	-
STOT SE	3	-
Skin irritation	2	-
Skin sensitization	1	-
Chronic aquatic	2	-

DPD Classification

Risk codes

R36/37/38

R43

R51/53

Risk phrases

Irritating to eyes, respiratory system and skin

May cause sensitization by skin contact

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

2.2. Label elements

CLP label

Hazard pictogram:



Signal word: Warning

Hazard Statements:

H315: Causes skin irritation

H317: May cause allergic skin reaction

H319: Causes serious eye irritation

H335: May cause respiratory irritation

H411: Toxic to aquatic life with long lasting effects

Precautionary Statements:

P261: Avoid breathing dust/fume/gas/mist/vapour/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Mixtures

Hazardous ingredients	CAS No.	EC No.	Index No.	REACH No.	% wt/wt
Benzyl methacrylate	2495-37-6	219-674-4	-	-	15-25
2-hydroxyethyl methacrylate	868-77-9	212-782-2	607-124-00-X	-	15-25
Isobornyl acrylate	5888-33-5	227-561-6	-	-	15-25

Urethan (Meth) Acrylatoligomer	-	-	-	-	10-15
Decylacrylat	2156-96-9	218-462-9	-	-	5-10
Maleinsäure	110-16-7	203-742-5	607-095-00-3	-	1-5
Organische Säure	-	-	-	-	1-5

SECTION 5: Firefighting measure

5.1. Extinguishing media

Use fire extinguishing media suitable to surrounding conditions.

5.2. Special hazards arising from the substance or mixture

Fire/explosion hazard: no data available Main combustion gas: no data available

5.3. Advice for firefighters

Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spillage from entering drains or water courses.

Use water delivered as a fine spray to control fire and cool adjacent area.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

If safe to do so, remove containers from path of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wearing of suitable protective equipment, such as protective clothing, gloves and eye/face protection, removal of ignition sources and provision of sufficient ventilation, evacuate the danger area and consult experts.

6.2. Environmental precautions

Take precautions to prevent entry into waterways, sewers, or surface drainage systems. Inform respective authorities in case of seepage into water course or sewage system. Disposal according to local or international regulations.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the MSDS

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and direct sunlight. Avoid ingestion, inhalation, skin and eye contact. Prevent formation of aerosols. Ensure good ventilation/exhaustion at the workplace. Handle in accordance with good industrial hygiene practice and any legal requirements.

