

Printing date 05.06.2023

*

*

Version number 2

Revision: 05.06.2023

| 1.1 Product identifier Trade name: ATF SPEZIAL Article number: 70402 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Automatic oil 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Jargen Liebisch GmbH Wilhelm-Bergner-Str. 11c 21509 Glinde Germany E-Mail: contact@aic-germany.de www.aic-germany.de Further information obtainable from: Mr. Guido Berkefeld Tel. +49 40 253066-07 Ernail: contact@aic-germany.de 14 Emergency telephone number: Informationszentrale gegen Vergiftingen des Landes Nordhein-Westfalen Tel. +49 (0) 228 / 19 240 SECTION 2: Hazards identification SL Label elements Labeling according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.1 Label elements Labeling according to Regulation (EC) No 1272/2008 Hargen tiel ife with long lasting effects. Harmful to aquatic l | SECTION 1: Identification of the substance/mixture and of the company/undertaking |
|--|--|
| Article number: 70402 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Automatic oil 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Jirgen Liebisch GmbH Wilhelm-Berger-Str. 11c 21509 Glinde Germany E-Mail: contact@aic-germany.de ww aic-germany.de Further information obtainable from: Mr. Guido Berkefeld Tel: +49 40 253066-0 Fax: +49 40 253066-0 Fax: +49 40 253066-0 Fax: +49 40 253066-0 Fax: +49 40 253066-0 SECTION 2: Hazards identification SECTION 2: Hazards identification SECTION 2: Hazards identification SECTION 2: Hazards identification SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard statements H412 Harmful to aquatic life with long lasting effects. H421 Harmful to aquatic life with long lasting effects. H421 Harmful to aquatic life with long lasting effects. Precautionary statements H412 Harmful to aquatic life with long lasting effects. H423 Harmful to aquatic life with long lasting effects. H424 Harmful to aquatic life with long lasting effects. H421 Harmful to aquatic life with long lasting effects. H421 Harmful to aquatic life with long lasting effects. H423 Harmful to aquatic life with long lasting effects. H424 Harmful to aquatic life with long lasting effects. H423 Harmful to aquatic life with long lasting effects. H424 Harmful to aquatic life with long lasting effects. H424 Harmful to aquatic life with long lasting effects. H424 Harmful to aquatic life with long lasting effects. H425 Harmful to aquatic life with long lasting effects. H426 Harmful to aquatic life with long lasting effects. H427 Harmful to aquatic life with long lasting effects. H427 Harmful to aquatic lif | 1.1 Product identifier |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Automatic oil 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Jargen Liebisch GmbH Wilhelm-Bergner-Str. 11e 21509 Glinde Germany E-Mail: contact@dire.germany.de www.aie-germany.de Wmw.aie-germany.de Wmw.aie-germany.de Wmw.aie-germany.de Mr. Guido Berkefeld Tel.: +49 40 253066-07 Email: contact@dire.germany.de LA Emergency telephone number: Informationszentrale gegen Vergifungen des Landes Nordrhein-Westfalen Tel.: +49 (0) 228 / 19 240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard statements H412 Harmful to aquatic life with long lasting effects. H22 Harmful to aquatic life with long lasting effects. H23 H2 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H24 Harmful to aquatic life with long lasting effects. H25 H24 Harmful to aquatic life with long lasting effects. H25 H26 H26 H26 H26 H27 H27 H27 H27 H27 H27 H27 H27 H27 H27 | Trade name: ATF SPEZIAL |
| Manufacturer/Supplier: Järgen Liebisch GmbH Wilhelm-Bergner-Str. 11e 21509 Glinde Germany E-Mail: contact@aic-germany.de Further information obtainable from: Mr. Guido Berkefeld Tel.: +49 40 253066-0 Fax: +49 40 253066-7 Fax: +49 40 253066-7 Fax: +49 40 253066-7 Fax: +49 40 253066-7 Email: contact@aic-germany.de 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen des Landes Nordrhein-Westfalen Tel.: +49 (0) 228 / 19 240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H121 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Reap cut of precision according to instructions. P273 Avoid release to the environment. P301 Dispose of contentsLoontainer in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. | 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. |
| Mr. Guido Berkefeld Tel.: +49 40 253066-0 Fax: +49 40 253066-77 Email: contact@aic-germany.de 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen des Landes Nordrhein-Westfalen Tel.: +49 (0) 228 / 19 240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPVB assessment PBT: Not applicable. | Manufacturer/Supplier: Jürgen Liebisch GmbH Wilhelm-Bergner-Str. 11c 21509 Glinde Germany E-Mail: contact@aic-germany.de |
| 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. | Mr. Guido Berkefeld Tel.: +49 40 253066-0 Fax: +49 40 253066-77 Email: contact@aic-germany.de 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen des Landes Nordrhein-Westfalen |
| Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. | 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 |
| | Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment |

Page 1/7

٦

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: ATF SPEZIAL

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Preparation from base oils and various additives.

| · Dangerous components: | | | |
|---|---|-------|--|
| 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic | | | |
| | 🚸 Asp. Tox. 1, H304 | | |
| 72623-86-0 | Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | ≤2,5% | |
| | 🚸 Asp. Tox. 1, H304 | | |
| | Reaction product of alkylthioalcohol and substituted | ≤1% | |
| | phosphoros compound | | |
| | Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H312 | | |
| ·Additional | information: For the wording of the listed hazard phrases refer to section 16. | | |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Take affected persons out of danger area and lay down.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) carbon dioxide

Nitrogen oxides (NOx)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay on the windward side.
- · 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

DE

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

(Contd. of page 2)

Trade name: ATF SPEZIAL

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- •7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Storage in a collecting room is required.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment



· General protective and hygienic measures:

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection
- Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

Nitrile rubber, NBR


The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

(Contd. on page 4)



Printing date 05.06.2023

*

Version number 2

Revision: 05.06.2023

Trade name: ATF SPEZIAL

(Contd. of page 3)

| SECTION 9: Physical and chemical properties | | | |
|---|---|--|--|
| 9.1 Information on basic physical and chemical properties | | | |
| · General Information | - | | |
| · Physical state | Fluid | | |
| · Colour: | Red | | |
| · Odour: | Characteristic | | |
| · Odour threshold: | Not determined. | | |
| · Melting point/freezing point: | Undetermined. | | |
| · Boiling point or initial boiling point and boiling | | | |
| range | Undetermined. | | |
| · Flammability | Not applicable. | | |
| Lower and upper explosion limit | 11 | | |
| Upper: | Not determined. | | |
| · Flash point: | 228 °C | | |
| • Decomposition temperature: | Not determined. | | |
| · Viscosity: | i tot determined. | | |
| · Kinematic viscosity at 40 °C | 38,2 mm ² /s | | |
| · Dynamic: | Not determined. | | |
| Solubility | not determined. | | |
| · water: | Not miscible or difficult to mix. | | |
| • Partition coefficient n-octanol/water (log value) | Not determined. | | |
| · Vapour pressure: | Not determined. | | |
| | Not determined. | | |
| • Density and/or relative density | 0.947 s/arm^3 (DIN 51757) | | |
| · Density at 20 °C: | 0,847 g/cm ³ (DIN 51757) | | |
| · Relative density | Not determined. | | |
| · Vapour density | Not determined. | | |
| 9.2 Other information | | | |
| · Appearance: | | | |
| · Form: | Fluid | | |
| · Important information on protection of health an | d | | |
| environment, and on safety. | | | |
| · Ignition temperature: | Product is not selfigniting. | | |
| • Explosive properties: | Product does not present an explosion hazard. | | |
| · Solvent content: | 1 1 | | |
| · VOC (EC) | 0,00 % | | |
| • Change in condition | | | |
| · Softening point/range | | | |
| · Pour point | -45 °C (DIN ISO 3016) | | |
| · Evaporation rate | Not determined. | | |
| * | | | |
| · Information with regard to physical hazard classe | | | |
| · Explosives | Void | | |
| · Flammable gases | Void | | |
| ·Aerosols | Void | | |
| · Oxidising gases | Void | | |
| · Gases under pressure | Void | | |
| · Flammable liquids | Void | | |
| · Flammable solids | Void | | |
| · Self-reactive substances and mixtures | Void | | |
| · Pyrophoric liquids | Void | | |
| · Pyrophoric solids | Void | | |
| · Self-heating substances and mixtures | Void | | |
| • Substances and mixtures, which emit flammable | | | |
| gases in contact with water | Void | | |
| · Oxidising liquids | Void | | |
| • Oxidising solids | Void | | |
| · Organic peroxides | Void | | |
| Brine her curves | (Contd. on page 5 | | |

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: ATF SPEZIAL

(Contd. of page 4)

• Corrosive to metals • Desensitised explosives Void Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

| 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic |
|---|
|---|

Oral LD50 5.000 mg/kg (rat)

Dermal LD50 5.000 mg/kg (rabbit)

Inhalative LC50/4 h 5,53 mg/l (rat)

72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Oral LD50 5.000 mg/kg (rat)

Dermal LD50 >2.000 mg/kg (rabbit)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

 \cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish

(Contd. on page 6)

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: ATF SPEZIAL

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

| · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA | Void | |
|---|-----------------|--|
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| • 14.7 Maritime transport in bulk according to IMO instruments Not applicable. | | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 7)

(Contd. of page 5)

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: ATF SPEZIAL

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Date of previous version: 13.09.2021

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

DDSU: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.

DE -

(Contd. of page 6)