

Date printed 31.03.2020, Revision 31.03.2020 Version 01 Page 1 / 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

SWAG 33 10 1124 antifreeze Ready Mix G12+ (-35°C) Article number: 33 10 1124, 33 10 1125, 33 10 1126

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Anti-freezing agents

#### 1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

#### 1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swaq.de

## 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Acute Tox. 4: H302 Harmful if swallowed.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure if

swallowed. (kidneys)

## 2.2 Label elements

Hazard pictograms





Signal word WARNING

Contains: Ethylene glycol

Hazard statements H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

(kidneys)

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P260 Do not breathe vapours / spray.

P270 Do no eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.

P314 Get medical advice / attention if you feel unwell.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.



#### 2.3 Other hazards

Human health dangers It is essential for pregnant women to avoid inhaling the product and not to let it come in

contact with the skin.

**Environmental hazards** Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

#### **SECTION 3: Composition / Information on ingredients**

### Product-type:

3.2 The product is a mixture.

Range [%]	Substance
40 - 50	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
< 3	Sodium 2-ethylhexanoate
	CAS: 19766-89-3, EINECS/ELINCS: 243-283-8
	GHS/CLP: Repr. 2: H361d

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

**Ingestion** Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Tiredness Unconsciousness Headache Vertigo

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

#### **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.



Date printed 31.03.2020, Revision 31.03.2020

Version 01 Page 3 / 11

#### 5.2 Special hazards arising from the substance or mixture

risk of formation of toxic pyrolysis products, carbon monoxide (CO), not combusted hydrocarbons

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provide solvent-resistant and impermeable floor.

Use solvent-resistant equipment.

Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.

Take precautionary measures against static discharges.

Vapours can form an explosive mixture with air.

Remove soiled or soaked clothing immediately.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Do not store with alkalies.

Do not store together with food and animal food/diet.

Protect from heat/overheating and from sun.

Keep container in a well-ventilated place.

Keep container tightly closed.

Recommended storage temperature: < 40°C

## 7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 31.03.2020, Revision 31.03.2020

Version 01 Page 4 / 11

## SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX

Long-term exposure: 20 ppm, 52 mg/m³, Vapour, particulate: 10 mg/m³

Short-term exposure (15-minute): 40 ppm, 104 mg/m<sup>3</sup>

# Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX

Eight hours: 20 ppm, 52 mg/m3, H

Short-term (15-minute): 40 ppm, 104 mg/m<sup>3</sup>

#### **DNEL**

c.	ıhs	tor	
Oι	มมร	ıaı	и:е

Ethylene glycol, CAS: 107-21-1

Industrial, dermal, Long-term - systemic effects: 106 mg/m³.

Industrial, inhalative, Long-term - local effects: 35 mg/m³.

general population, dermal, Long-term - systemic effects: 53 mg/m³.

general population, inhalative, Long-term - local effects: 7 mg/m³.

#### **PNEC**

Substance
-----------

Ethylene glycol, CAS: 107-21-1

freshwater, 10 mg/L.

seawater, 1 mg/L

sediment (freshwater), 37 mg/kg.

soil, 1,53 mg/kg.

sewage treatment plants (STP), 199,5 mg/l (AF=10).

sediment (seawater), 3,7 mg/kg.



Date printed 31.03.2020, Revision 31.03.2020 Version 01 Page 5 / 11

#### 8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Safety glasses. (EN 166:2001) Eye protection

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

0,45 mm Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

It is essential for pregnant women to avoid inhaling the product and not to let it come in

contact with the skin.

Respiratory protection Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

#### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1

Form liauid Color Purple Odor characteristic

**Odour threshold** No information available.

pH-value 75-11

not determined pH-value [1%]

Boiling point [°C] >107

Flash point [°C] No information available.

Flammability (solid, gas) [°C] not applicable Lower explosion limit not applicable Upper explosion limit not applicable

**Oxidising properties** 

Vapour pressure/gas pressure [kPa] 0,123 hPA (25°C)

Density [g/ml] 1,05 - 1,07 Bulk density [kg/m³] not applicable Solubility in water miscible

Partition coefficient [n-octanol/water] No information available. No information available. Viscosity Relative vapour density determined No information available.

in air

**Evaporation speed** No information available.

Melting point [°C] Autoignition temperature [°C] 440

Decomposition temperature [°C] No information available.

## 9.2 Other information

none



Page 6 / 11

Date printed 31.03.2020, Revision 31.03.2020 Version 01

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with acids.

#### 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

No information available.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

bfe00202



Date printed 31.03.2020, Revision 31.03.2020

Version 01 Page 7 / 11

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Droduct

#### **Acute toxicity**

Product		
ATE-mix, oral, > 300 mg/kg bw.		
Substance		
Sodium 2-ethylhexanoate, CAS: 19766-89-3		
LD50, dermal, Rat: >2000 mg/kg bw (OECD 402).		
LD50, oral, Rat: 2043 mg/kg bw (OECD 401).		
LC0, inhalative, Rat: 0,11 mg/l air (OECD 403).		
Ethylene glycol, CAS: 107-21-1		
LD50, dermal, mouse: > 3500 mg/kg.		
LD50, oral, Rat: 7712 mg/kg.		
LC50, inhalative, Rat: > 2,5 mg/l 6h.		
LDLo, oral, Human: ca. 1600 mg/kg.		

Serious eye damage/irritation Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Specific target organ toxicity — Based on available data, the classification criteria are not met. single exposure

Specific target organ toxicity —

repeated exposure

Mutagenicity Reproduction toxicity

(CAS: 19766-89-3): This product contains one or more substances of categorie Repr. 2 (CLP). Based on the available information, the classification criteria are not fulfilled.

Calculation method

Calculation method

Carcinogenicity **Aspiration hazard** 

**General remarks** 

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on available data, the classification criteria are not met.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

May cause damage to organs through prolonged or repeated exposure if swallowed. (kidneys)

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

Substance		
Sodium 2-ethylhexanoate, CAS: 19766-89-3		
LC50, (96h), Oryzias latipes: >100 mg/l (OECD 203).		
EC50, (72h), Desmodesmus subspicatus: 49,3 mg/l.		
NOEC, (21d), Daphnia magna: 25 mg/l (OECD 211).		
EC0, (48h), Daphnia magna: 62,5 mg/l (Directive 79/831/EEC, Annex V, Part C).		
Ethylene glycol, CAS: 107-21-1		
LC50, (96h), Pimephales promelas: 72 860 mg/l.		
EC50, (96h), Selenastrum capricornutum: 6500 - 13000 mg/l.		
EC50, (48h), Daphnia magna: > 100 mg/l OECD 202.		



Date printed 31.03.2020, Revision 31.03.2020

Version 01 Page 8 / 11

#### 12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant not determined

Biological degradability The product is biodegradable.

#### 12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

## **Product**

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

160114\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

150110\* Waste no. (recommended)

## **SECTION 14: Transport information**

#### 14.1 UN number

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

**IMDG** 

Air transport in accordance with IATA not applicable



Date printed 31.03.2020, Revision 31.03.2020

Page 9 / 11 Version 01

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

no

ADR/RID

Inland navigation (ADN)

**IMDG** 

Marine transport in accordance with no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



Date printed 31.03.2020, Revision 31.03.2020

Version 01 Page 10 / 11

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

Observe employment restrictions for young people.

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for women of child-bearing age.

- VOC (2010/75/CE)

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### 16.1 Hazard statements (SECTION 03)

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMFL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative



Date printed 31.03.2020, Revision 31.03.2020

Version 01 Page 11 / 11

#### 16.3 Other information

Classification procedure Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure if

swallowed. (kidneys) (Calculation method)

Modified position none